Honeywell | Safety Products

Europe / Africa Partners Where To Buy



PRODUCT NUMBER: 1035125-VS VS130H EMEA VeriShield helmet earmuff VS130H EMEA VeriShield helmet earmuff HV

Honeywell

Overview

Reference Number 1035125-VS

Product Type Hearing Protection

Range Earmuffs

Line Passive Protection

Brand Honeywell

Brand formerly known as HOWARD LEIGHT

Industry

Building and Construction
General Industry
Maintenance

Features & Benefits

Feature

Large dimension range

Benefit

"Comfortably fits a wide range of head sizes. 17% more adjustable than earlier versions"

Feature

Lightweight cushioned headband

Benefit

"Steel-wire construction with padded headband and precision micro adjustments designed for just the right fit around the ear"

Feature

Memory foam ear cushions

Benefit

"New unique memory foam that combines denser and softer foam than previous models, for greater comfort and attenuation. Reduces squeezing pressure on the head and enhances comfort"

Page 1 Of 3 © Honeywell International Inc.



Feature

Robust construction

Benefit

"An oil-resistant cup surface to withstand oily, heavy-work environments and frequent cleaning. ABS molded with internal baffle design for lighter weight, patent pending"

Feature

Wide cup opening

Benefit

"Ideal for workers with larger ears, or who wear hearing aids. Opening area of the cup increased by 16% over earlier versions"

Technical Description

SNR (dB)

33dB

H (dB) 36dB

M (dB)

31dB

L (dB) 24dB

Attenuation Data

Q5285A

Earmuff Construction Plastic [or Dielectric] Other Material

steel,PU foam and PU leather

Dielectric No

Batteries Needed None

Headband Style Helmet-Mounted

Sound Amplification No

AM/FM Radio

No

Audio Input Jack

Hi-Visibility No

Certifications

Quality Assurance ISO 9001 / 2000

EU Certification EC Attestation

Certifications

• Other 19A0412MVS01

© Honeywell International Inc.



SAFETYWARE SDN BHD 200301030551 (602971 X) Priol 237, Jenglock Periodustion Boldt Miryok 3. Buildi Wingki Kindinian Crok, 14100 Simparta Ampoli, periona, Telet 4803-4827 0818 (* 1/most) Fax : +603-6270 0393