DIELECTRIC MAXI OVERBOOTS



Power Generation Power Distribution Construction Telecommunications Transport

A Class 1 electrically insulating dielectric overboot with a vulcanized rubber sole for superior slip resistance. The Workmaster™ Maxi Dielectric overboot is designed to be worn over safety boots and allows live working at up to 7.5kV with every boot tested at 20kV for ASTM F1117.

₩





- Ingenious rear entry design ensures the boot is quick and easy to fit and remove
- Ideal for personnel who have to continually enter and exit hazardous areas
- · Yellow dielectric compound shaft
- · Seamless construction
- Kick off lug
- REACH Compliant

Boot Sole

- Dark blue vulcanized rubber sole for maximum grip 30% better than a conventional safety boot sole
- Slip resistance performance twice that required by SATRA TM144 standard
- Two to three times the wear resistance of conventional soles
- Fuel and oil resistant
- Greater cut resistance than conventional soles
- Resistance to hot contact 60 seconds 300°C.

Care

- Machine washable at up to 40°C
- Shelf life of over 10 years

Electrical Performance

Test Voltage: 10kV <10mA Leakage current

20kV ASTM F1117

Max Working Voltage: 7.5kV

Certification

Safety Footwear EN ISO 20347:2012

- I HRO SRC FO

Electrically Insulating Footwear EN 50321-1:2018 Class 1

Dielectric Footwear ASTM F1117 (20kV)

Personal Protective Equipment PPE DIR 89/686/EEC

Sizes

		Medium	Large	Extra-Large
	UK	6 - 8	9 - 11	12 - 14
	EU	39 - 42	43 - 45	46 - 49
Г	US	7 - 9	10 - 12	13 - 15





For use with safety boots (safety boots not included)