## PRODUCT SPECIFICATION



# SAFETYWARE Emergency Escape Breathing Devices (EEBD)

- Designed for easy donning and optimal respiratory protection.
- Encased in a carry bag that, when opened, triggers the supply of breathable air.
- Easily adjusted headband as there is a tightening belt and quick clip.
- · Hands-free during donning for maximum safety and comfort.
- Comes with a 3L composite cylinder.
- Essential for industrial settings with potential hazards.
- To be placed strategically in workplaces.
- Provides exceptional respiratory protection for emergency escapes from areas with sudden hazardous conditions.
- Component :
  - · Pressure Cylinder
  - Air Cylinder Valve
  - · Pressure Reducer
  - Face Mask FZM-1

#### APPLICATIONS

- Marine
- Chemical
- Oil/ gas

#### **TECHNICAL DATA**

MATERIAL	Cylinder: Composite
AIR CYLINDER	3L
WORKING DURATION	15 min (35L/min)
WORKING PRESSURE	300 Bar
TOTAL AMOUNT AIR RELEASE	≥ 600 L
WEIGHT	≤ 5 kg
APPROVED TEMPERATURE	-30 °C to 60 °C
STANDARD	MED Approval, ISO 23269-1:2008 (E), EN 402 (2003)
PACKING SIZE	590 x 250 x 180 (mm)

### Item Code: EEBD TH-15-2



#### MAINTENANCE / SERVICE

- Maintenance and servicing must only be performed by trained personnel following the procedures in the Service and Maintenance manual.
- The cylinder must be hydraulically tested every 5 years.

SAFETYWARE SDN. BHD. (632971-x)
Plot 237, Lengkok Perindustrian Bukit Minyak 3,
Bukit Minyak Industrial Estate,
14100 Simpang Ampat, Penang, Malaysia

www.safetyware.com | info@safetyware.com

Tel: +604-5023 882 | Fax: +604-5081 882

It is the product users' responsibility to conduct all the appropriate evaluations & testing to determine the suitabilit of SAFETYWARE products for use in a particular environment or purpose. SAFETYWARE disclaims all warranties othe than as expressly provided.

> Date created: 22/11/2023 Revision: 00