

# FS-18L-CP



FS-18L-CP CLEAR MOLDED CYLINDER LEXAN® FACE SHIELD WITH CHIN PROTECTOR **Ref.** WELFS18LCP\_



## Product specifications

FS-18L-CP features a Chin Protector that provides side bottom protection from splashes.

Lexan®, a superior quality optical grade material is highly impact resistant and heat tolerant with limited scratch resistance.

Offers splash and impact protection.

Universal Hole Pattern on Elvex® face shields, also fit on the more popular headgear brands.

Elvex® face shields fit to our HG-25 and HG-35 headgears.

Material: Molded Cylinder Lexan®

#### COLOR

Clear

## SIZE

No size



#### Product Use - Risks



Heat



Shock



UV/TE



Agriculture / Green areas



Construction / Civil engineering



Second work



Heavy industry



Light industry



Services / Logistics



Hygiene environment



Oil / Gas



Mining



Wind/Energy

Product's highlights & user's benefits					
Industry Leading Thickness: 0.078 inches					
Die cut universal hole pattern fits most competitive headgear options.					
Heat Tolerance: up to 265 degrees					
Dimensions: 10 in. x 18.5 in. x .078 in.					
UV Protection: 99.9% between 180-380nm					



# Certifications and Standards

#### **USA STANDARDS**



ANSI Z87.1-2010(+) American National Standards Institute - Occupational and Educational Personal Eye and Face Protection Devices.

.: High Velocity Impact .: High Mass Impact

Re	eferences					
	References	Bar code	COLOR	SIZE	9	Ä
	WELFS18LCP	7292946188510	Clear	No size	12	-