

LV102150



STRAP ANCHORAGE RING - 1,5 M

Ref. LV102150\_



#### Product specifications

Anchorage ring with high tenacity polyester strap. Width 45 mm. End loop with shrinkage and steel anchor D.

Straps: High tenacity polyester.  
D anchor: Steel.

**COLOUR**  
Black-Orange

**SIZE**  
1.50 m

Product Use - Risks



Fall



Agriculture / Green areas  
craftman



Construction / Civil engineering



Second work /



Heavy industry



Light industry



Services / Logistics



Oil / Gas



Mining



Wind energy



Long vertical movement or movement on inclined surface



Long vertical movement or

movement on inclined surface for rope access work



Short vertical movement or movement on

inclined surface (less than 3 m)



Long horizontal movement on horizontal surface



Long

horizontal movement on vertical structure



Short horizontal movement (less than 3 m)



Restraint



Rescue and evacuation

## Certifications and Standards



PPE DIRECTIVE EC 89/686

EN363 : 2008 Personal fall protection equipment - Personal fall protection systems



EN364 : 1992 Personal fall protection equipment : Test method

EN365 : 2004 General requirements for the instructions for use and the marking

EN795:2012 Personal fall protection equipment : Anchorage devices  
TYPE B: Anchorage device type B

EN354 : 2010 Personal fall protection equipment - Lanyards.

## References

References	Bar code	COLOUR	SIZE		
LV102150	3660348006323	Black-Orange	1.50 m	15	-