

FC60 - Portwest Compositelite Operis Boot S3 HRO

Collection: CompositeLite™ Ultra

Range: Footwear

Material Upper: Nubuck

Material Outsole: PU/Rubber

Reference: F52

Outer Carton: 10

Product information

Stylish design combined with total S3 safety in a 100% non metallic boot. Lightweight construction with a durable PU/Rubber outsole for slip resistance and shock absorption.



CompositeLite™ Ultra

Ideal for construction, utilities and public services. Unrivalled protection, comfort, support and style that won't let you down.

Footwear

Innovation, quality components, styling and expert construction define the Portwest footwear collections.

Standards

ASTM F2413-11

EN ISO 20345:2011



Features

- CE certified
- Composite toecap for added protection
- Pierce resistant composite midsole
- Anti-static footwear
- Energy absorbing seat region
- Water resistant upper to prevent water penetration
- SRC - Slip resistant outsole to prevent slips and trips on ceramic and steel surfaces
- Heat resistant outsole - 300°C
- Fuel and oil resistant outsole
- Dual density sole unit

Colours

	EU/UK/USA
Black/Orange	Euro 37-48, UK 4-13, US 5-14
Black/Blue	Euro 37-48, UK 4-13, US 5-14



PORTWEST®

PRODUCT SPECIFICATION & TECHNICAL DATA

FC60 - Portwest Compositelite Operis Boot S3 HRO Commodity Code: 6403400000

Test House

CTC (Notified Body No.: 0075)

4, rue Hermann Frenkel

Cedex 07, France

Cert No: 0075/1610/161/02/17/0190

Item	Colour	Len	Wid	Hgt	Weight (Kg)	Cubic (m ³)	EAN13	DUN14
FC60BKR37	Black	61.0	48.0	33.0	1.3360	0.0966		
FC60BKR38	Black	61.0	48.0	33.0	1.3610	0.0966		
FC60BKR39	Black	61.0	48.0	33.0	1.4000	0.0966		
FC60BKR40	Black	61.0	48.0	33.0	1.4260	0.0966		
FC60BKR41	Black	61.0	48.0	33.0	1.5090	0.0966		
FC60BKR42	Black	61.0	48.0	33.0	1.5960	0.0966		
FC60BKR43	Black	61.0	51.0	37.0	1.6320	0.1151		
FC60BKR44	Black	61.0	51.0	37.0	1.6380	0.1151		
FC60BKR45	Black	61.0	51.0	37.0	1.7500	0.1151		
FC60BKR46	Black	61.0	51.0	37.0	1.7680	0.1151		
FC60BKR47	Black	61.0	51.0	37.0	1.7730	0.1151		
FC60BKR48	Black	61.0	48.0	37.0	2.0180	0.1083		