

Dereckduck Industries Corp.

9F. No. 70-1, Sec. 1,
Chengde Road,
Taipei 10351,
Taiwan

It is certified that the manufacturer's technical file and the PPE product detailed on page 2 have been assessed and found to be in accordance with

Regulation (EU) 2016/425

Module B, EU type-examination

This certificate is valid from 12th December 2018 until 12th December 2023.
Issue 1. Certified since 12th December 2018.



Authorised by

SGS United Kingdom Limited, Notified Body 0120

Unit 202B Worle Parkway, Weston-super-Mare, BS22 6WA UK
t +44 (0)1934 522917 f +44 (0)1934 522137 www.sgs.com

SGS CE 03 1210

Page 1 of 3



Dereckduck Industries Corp.

Regulation (EU) 2016/425

Module B, EU type-examination

Issue 1

PPE Product

ULTITEC 1000L disposable coveralls, models DD210, DD220, DD230 and DD240, manufactured from a SMS nonwoven fabric of 45 g/m² with internal stitched seams. Available in white and blue colours and in seven nominal sizes. The available styles are described in Annex 1.

It is certified that the manufacturer's technical file and the above mentioned PPE have been assessed and found to meet the applicable Essential Health and Safety Requirements in Annex II of Regulation (EU) 2016/425 Personal Protective Equipment

The following have been applied:

- EN ISO 13982-1:2004 + A1:2010 (Type 5: Limited life, full-body protective clothing against airborne solid particulates);
- EN 13034:2005 + A1:2009 (Type 6: Limited life, full-body protective clothing offering limited protection against liquid chemicals);
- EN 1149-5:2008 (Protective clothing - Electrostatic properties for electrostatic dissipative protective clothing with a surface resistance of $\leq 2.5 \times 10^9 \Omega$ on the internal surface of the white coverall).
- EN 1149-5:2008 (Protective clothing - Electrostatic properties for electrostatic dissipative protective clothing with a half decay time, $t_{50} < 4$ seconds -for the blue coverall).

Additionally, with one exception the PPE satisfied the requirements of EN 1073-2:2002 (Non-ventilated protective clothing against particulate radioactive contamination) for a performance classification of TIL Class 1. The exception is that clause 4.2 requires a minimum puncture resistance of level 2, but the fabric used has a puncture resistance classification of 1.

This certificate is issued on the strict condition that appropriate checks on manufactured PPE, as detailed in Article 19 (c) of the Regulation are implemented and maintained while the model is in production

Certification is based on technical file reference: ULTITEC DISPOSABLE PROTECTIVE WEAR STYLE 1000L Issue 2, Rev no. 1

SGS Reference Number UK/CRS 231780.

¹ The validity of this certificate may have to be reviewed in the light of new or amended harmonised standards. This certificate remains the property of SGS United Kingdom Ltd to whom it must be returned on request.



Certificate GB18/962480, continued

Derekduck Industries Corp.

Regulation (EU) 2016/425

Module B, EU type-examination

Issue 1

Annex 1

- a) ULTITEC 1000L, Style DD210 Coverall with elasticated hood, wrists, ankles and waist. Zip front with full length storm flap, internal stitched seams;
- b) ULTITEC 1000L, Style DD220 Coverall, with elasticated hood, wrists, waist and integral boots. Zip front with full length storm flap, internal stitched seams;
- c) ULTITEC 1000L, Style DD230 Coverall, with collar, elasticated wrists, ankles and waist. Zip front with full length storm flap, internal stitched seams;
- d) ULTITEC 1000L, Style DD240 Coverall, with elasticated hood, ankles and waist. Knitted cuffs. Zip front with full length storm flap, internal stitched seams.

All garments are available in white and blue and in seven nominal sizes.



0005