

Certificate FI19/962717

# Dereckduck Industries Corp.

9F. No. 70-1, Sec.1, Chengde Road, Taipei 10351, Taiwan.

It is certified that the manufacturer's technical file and the PPE product detailed on page 2 have been assessed and found to be in accordance with

## Regulation (EU) 2016/425 Module B, EU type-examination

This certificate is valid from 20 November 2020 until 23 January 2024  
2. Certified since 29 January 2019

Authorised by

  
**FINAS**  
Finnish Accreditation Service  
S003 (EN ISO/IEC 17065)

**SGS FIMKO OY, Notified Body 0598**

Takomatie 8, FI-00380 Helsinki, Finland.  
t +358 9 696 361 f +358 9 692 5474 www.sgs.com

HC SGS 2016/425 B 0118

Page 1 of 4



## Dereckduck Industries Corp.

### Regulation (EU) 2016/425 Module B, EU type-examination

Issue 2

PPE Product

ULTITEC 3000T disposable coveralls, models DD310T, DD320T, DD330T and DD340T, manufactured from white microporous film laminated to a nonwoven fabric, with stitched then over-taped blue seams. Available models and sizes are described in Annex 1..

It is certified that the manufacturer's technical file and the above mentioned PPE have been assessed and found to meet the applicable Essential Health and Safety Requirements in Annex II of Regulation (EU) 2016/425 Personal Protective Equipment

The following have been applied:

EN 14605:2005 + A1:2009 (Type 4: Limited life, full-body protective clothing against liquid chemicals with spray-tight connections);

EN ISO 13982-1:2004 + A1:2010 (Type 5: Limited life, full-body protective clothing against airborne solid particulates);

EN 13034:2005 + A1:2009 (Type 6: Limited life, full-body protective clothing offering limited protection against liquid chemicals);

EN 14126:2003 (Types 4-B, 5-B & 6-B: Limited life, protective clothing against infective agents);

EN 1149-5:2008 (Protective clothing - Electrostatic properties) for electrostatic dissipative protective clothing with a surface resistance of  $\leq 2.5 \times 10^9 \Omega$  on one surface of the fabric.

DIN 32781:2010 (Protective clothing – Limited life, protective suits against pesticides), with water vapour resistance (Ret) of Class 2.

Page 2 of 4

## Derekduck Industries Corp.

### Regulation (EU) 2016/425 Module B, EU type-examination

Issue 2

Additionally, with two exceptions the PPE satisfied the requirements of EN 1073-2:2002 (Non-ventilated protective clothing against particulate radioactive contamination) for a performance classification of TIL Class 3. The exceptions are that clause 4.2 requires a minimum puncture resistance of class 2, but the fabric used has a puncture resistance classification of 1 and the fabric has not been tested for blocking resistance.

This certificate is issued on the strict condition that appropriate checks on manufactured PPE, as detailed in Article 19 (c) of the Regulation are implemented and maintained while the model is in production

Certification is based on technical file reference: ULTITEC DISPOSABLE PROTECTIVE WEAR STYLE 3000T Issue 2, Rev. No. 1.

SGS Reference Number UK/CRS 239021.

<sup>1</sup> The validity of this certificate may have to be reviewed in the light of new or amended harmonised standards

This certificate remains the property of SGS Fimko Oy to whom it must be returned on request.

## Derekduck Industries Corp.

### Regulation (EU) 2016/425 Module B, EU type-examination

Issue 2

Annex 1

- a) ULTITEC 3000T, Style DD310T Coverall with elasticated hood, wrists, ankles and waist. Zip front with full length storm flap with an adhesive tape, stitched then over taped blue seams;
- b) ULTITEC 3000T, Style DD320T Coverall, with elasticated hood, wrists, waist and integral boots. Zip front with full length storm flap with an adhesive tape, stitched then over taped blue seams;
- c) ULTITEC 3000T, Style DD330T Coverall, with collar, elasticated wrists, ankles and waist. Zip front with full length storm flap with an adhesive tape, stitched then over taped blue seams;
- d) ULTITEC 3000T, Style DD340T Coverall, with elasticated hood, ankles and waist. Knitted cuffs. Zip front with full length storm flap with an adhesive tape, stitched then over taped blue seams.

All garments are available in white and in seven nominal sizes.