



PE WITH RUBBER BASE TRAFFIC CONE



Height	18"
Colour	Red
Base	PE With Rubber Base
Unit	EA

Â
TSTC30R

Height	30"
Colour	Red
Base	PE With Rubber Base
Jnit	EA



Height	39"
Colour	Red
Base	PE With Rubber Base
Unit	EA



Black rubberized base make cones more heavier

- Made of durable material with high visibility reflective stripe
- Reflective stripes can be custom made with your company name or logo and apply
 on the traffic cone



High resistance to impact and UV degradation

Provides exceptional stability and wind resistance

• Made of durable material with high visibility reflective stripe

• Reflective stripes can be custom made with your company name or logo and apply on the traffic cone





SOFT PVC TRAFFIC CONE



Height	18"
Colour	Orange
Base	Soft PVC
Unit	EA

TSTC28V

J.	
TC28V	
0.0"	

Orange

ΕA

Soft PVC



Height	35"
Colour	Orange
Base	Soft PVC
Unit	EA

• Durable: Long service life

- Bounce back to shape when crushed
- Made of durable material with high visibility reflective stripe

• Reflective stripes can be custom made with your company name or logo and apply on the traffic cone

Height

Base




RETRACTABLE TRAFFIC CONE

ΕA

TSRTC18R TSRTC24R 18" 24" Height Height Orange Orange Base Waterproof Cloth + ABS/PP Waterproof Cloth + ABS/PP







Reflective material: Reflective cloth is certified by CE

- · Ideal in case of car breakdowns, collisions & flat tyres
- Can be set up in a matter of seconds

ΕA

- Ease of handling and storage
- Made of durable material with high visibility reflective stripe

• Reflective stripes can be custom made with your company name or logo and apply on the traffic cone





Cone Chain Holder

Item Code	Size (W x H)	Unit
QSCCH	205mm x 110mm	EA

- Design to attach plastic chain to traffic cones
- One piece design for an economical, high strength design
- Stackable for compact storage
- High visibility in red colour
- Made with 3mm ACP

Multipurpose Cone Chain Holder

Item Code	Size (W x H)	Unit
QSMCCH	205mm x 205mm	EA

- 4 way cone chain holder
- Design to attach plastic chain & traffic blinking LED light to traffic cones
- One piece design for an economical, high strength design
- Stackable for compact storage
- High visibility in red colour
- Made with 3mm ACP



Plastic Chain





Traffic Cone Topper with Retractable Belt

•

Item Code	Belt Length	Diameter	Colour	Unit
CONBLTRW	3m	48mm	Red Body with Red/White Belt	EA

• Fit on top of traffic cones to work as a barrier for traffic control at airports, parking lots, sporting events, concerts, police and emergency situations, construction sites, and work zones

• Able to connect many cone toppers to extend your safety zone as the retractable belt has a toggle end to connect to each topper

- Width of belt: 48mm
- Size of Topper: 254mm (H) x 90mm (Diameter)



Stainless Steel Queue Up Stand

• • • -

Item Code	Belt Length	Pole Height	Unit
A16	5.5ft	3ft	EA

- Pole diameter: 63.5mm
- Base diameter: 360mm
- Offer a elegant and high quality Q-Up stand
- Build a temporary but dynamic queue area based on the actual situation of the site and the crowd
- With heavy weight for good stability and full stainless steel surface
- Stackable and retractable





Wall Mounted Self Retractable Belt Head

Item Code	Belt Length	Head Size (WxDxH)	Unit
WMRB202R	5 meters	95mm x 110mm x 145mm	EA

Control pedestrian traffic in and around your facility with belt tape barriers

- Set out or mount belt tape barriers anywhere indoors
- The belt tape retracts smoothly back into the head unit for storage
- Install wall mounted bracket (come along) to connect end of belt tape on the facing wall



200mm

Soft PVC Lane Divider

Item Code	Size (H x Base.W)	Colour	Unit
TSFTC30	750mm x 200mm	Red Body with Reflective	EA

- Made to last and offers superb impact resistance
- Weather resistant and has outstanding reboundable properties
 Comes with three reflective stripes which enhanced the visibility
- especially in dark condition
- · Can be mounted by adhesive or bolts
- With 3 x 3" white reflective stripe



T-Top Delineator Post

Item Co	de Size (H x Base.W)	Colour	Unit
TSDP43	3 1150mm x 400mm	n Red Body with Reflective	EA

· Made with a solid & heavy rubber base with grip for extra stability

Perfect for demarcating traffic flow

Comes with 1-round of reflective tape for better visibility especially during night time

• T-Top allows interlink with nylon or plastic chains



Plastic Expandable Barrier

	Water Fillable
TSEPB35	

Item Code	Colour	Size (LxH)	Material	Unit
TSEPB25	Yellow/Black	2500mm (Fully Opened) x 960mm	Plastic	EA
TSEPB35	Red/White	3500mm (Fully Opened) x 940mm	Plastic	EA

 $\boldsymbol{\cdot}$ Design to restrict access to danger and temporary hazard areas

- Compact, portable and lightweight to use at indoor and outdoor
- With integrated reflective strips for enhanced visibility during dark condition
- TSEPB35 is fillable with water to add extra weight for added stability

Safetyware group Responsibility & Care



Metal Expandable Barrier

Item Code	Material	Colour	Design	Size (L x H x W)	LInit
TSEMB13	Metal	Yellow/Black	-	58" x 33" x 16" (Expand Up To 1.4 Meter)	EA
TSEMB24	Metal	Yellow/Black	C/W Wheel	37.4" x 8.8" x 98.4"	EA

• Design to restrict access to danger and temporary hazard areas

Compact, portable and lightweight to use at indoor and outdoor



Road Barrier with Reflective Line

Item Code	Colour	Size (L x H x W)	Linit
TSRBRRED TSRBRWHT	Red White	1200mm x 500mm x 800mm 1200mm x 500mm x 800mm	EA EA
• Highly reflective line	helps the eves adjust to see	more clearly in the dark	

٠

• Highly reflective line helps the eyes adjust to see more clearly in the dark

- Special luminescent pigment which allow the eyes respond effectively during day
- Last longer because it is more durable and reliable
- Has high resistance to impact and UV degradation



· Special luminescent pigment which allow the eyes to respond effectively during day

Last longer because it is more durable and reliable

· Has high resistance to impact and UV degradation





Road Barrier

Item Code	Colour	Size (LxHxW)	Unit
TSPF20	Yellow	2000mm x 1000mm x 55mm	EA

• With engineering grade reflective sheet

· Linking facility allowing system can be easily joined



Printed Barrier Tape

Item Code	Colour	Size (W x L)	Description	Unit
PBT1	Yellow/Black	76mm x 305m	AWAS DILARANG MASUK/CAUTION NO ADMITTANCE	Roll
PBT2	Yellow/Black	76mm x 305m	AWAS/CAUTION	Roll
PBT3	Red/White	76mm x 305m	AWAS/CAUTION	Roll
PBT4	Yellow	76mm x 305m	BAHAYA/DANGER	Roll

• Extremely durable and highly visible

Designed to seal off and prevent unauthorized access to danger and hazardous areas
Good tensile strength and can stretches up to twice its normal length before breaking



Non-Printed Barrier Tape

٠

Item Code	Colour	Size (W x L)	Unit
NBT76BY	Yellow/Black	76mm x 305m	Roll
NBT76RW	Red/White	76mm x 305m	Roll

• Extremely durable and highly visible

· Designed to seal off and prevent unauthorized access to danger and hazardous areas

· Good tensile strength and can stretches up to twice its normal length before breaking



Reflective Delineator Rope

•

Item Code	Colour	Length	Unit
TSRDR000RED00	Yellow/Red	50m x 50 pieces re	flectors Roll
 Can be used to contro Have excellent visibilit Used to direct traffic c Safe to use as no met Fully flexible and wate Available in double sid Easy to install and ma 	y or marking dangerous al parts are used rproof led reflective face	areas	




Retractable Connecting Rod

Item Code	Colour	Length	Unit
TSCRBY30	Yellow/Black	3 meters	EA
10010100	T CHOW, BIGOR	0 1100010	

Made of plastic

• Lightweight and durable to be used for many times

- · Comes with an open ring on both ends which can be attach easily to a traffic cone
- Used mainly to form a barricade and to prevent unauthorized access



Safety Floor Sign

Item Code	Colour	Size (LxHxW)	Plot Size (WxH)	Unit
SFS001-SFS024	Yellow/Black/Red	300mm x 670mm x 32mm	200mm x 300mm	EA

Made of plastic

• Keep employees alert to slippery or wet floors and other temporary workplace hazards to avoid falls, mishaps and unnecessary visitor or employee injuries

High visibility in yellow colour

- Durable and easy to operate
- Messages may be printed on single side or both sides of the stand

Folds flat for easy storage

CUSTOM MADE AVAILABLE



Plain Plastic Caution Board

Item Code	Description	Colour	Size (LxHxW)	Unit
TSPCB01	Plain with Top Board	Yellow	280mm x 670mm x 280mm	EA
TSPCB02	No Parking	Yellow	280mm x 670mm x 280mm	EA
TSPCB03	Caution, Wet Floor	Yellow	280mm x 670mm x 280mm	EA
TSPCB04	Caution, Cleaning In Progress	Yellow	280mm x 670mm x 280mm	EA

· Alerts co-workers and visitors alike to proceed carefully

· Message can be customize and printed on all four sides

High visibility for up to 40 feet

Stackable for easy transport and storage

Lightweight and durable







QSFSBSSET

Flexible Safety Barrier System

Item Code	Material	Size (HxW)	Unit
QSFSBS	6mm Polycarbonate	1000mm x 700mm (each)	EA
QSFSBSSET	6mm Polycarbonate	1000mm x 700mm (x3 ea)	SET

· Flexible safety barrier system which can be connected together to form a longer barrier

Additional panel connected together whenever needed

- Due to the flexibility to add on additional panels, this modular safety barrier is ideal for a wide range of barricade applications
- Easy to assemble. Simply connect two panels by slot in side-by-side
- Lightweight and convenient to carry around for deployment and storage
- Customized messages on the panels are available
- Optional storage bag is available for easier carriage and storage





Warning Triangle

Item Code	Colour	Size	Unit
TSWTHD	Red	430mm x 430 mm	EA

Made with ABS and metal plate

Small & portable which can be deployed easily when needed

• Ideal to be kept in vehicles and will comes in handy during emergency situation



LED Traffic Baton

Item Code	Colour	Size	Unit
TSTBRED01	Red	520mm x 30mm	EA
in the night • With Wrist Strap fo	ure : -20°C to +70°C ED which provides excelled or easy handling enabled it to work in th		2



Solar Cone Hazard Warning Light

Item Code	Colour	Packing	Unit
CTLLEDA	Amber	1 ea/box	EA
CTLLEDR	Red	1 ea/box	EA

- · Surelite cone hazard warning light comes with a solar powered panel
- Durable construction material, able to survive in tough conditions
- · High visibility which automatically activates in low light condition and hazardous area
- Can be easily mounted onto standard traffic cones
- · Convenient and easy to set up
- High visibility distance up to 200 meters
- 70 to 75 FPM standard flash rate
- 1500 mAh rechargeable battery
- 7" polycarbonate lens

• • •



Traffic Solar Warning Light

Item Code	Colour	Unit
TSWLRED02	Red	EA
Out put on full abo	rge: More than 120 hours	

- Time to full charge: 8 hours
- Product life: 3 years
- Auto-light control: 300-700 lux open
- · Automatic on-off according to the environmental luminance
- · Convex lens design in the center, excellent alarming effect in the night
- · Water proof which enabled it to work in the rainy day
- Visible from at least 200 meters away



Cord Protector and Cover

Item Code	Colour	Size (HxWxDia. of Hole)	Unit
TSCOP01	Black	30mm x 100mm x 20mm	EA
 Length: 9 meters/roll Cover, hide and protect you Provides a low profile with 1 Reduce the possibility of tri Various lengths and widths 	trim, lay-flat de pping over exp	oosed cords, wires, or cables	

• Pre-slit for convenience and easy installation



Mini Rubber Speed Bump

۲

Item Code	Colour	Size (LxHxW)	Unit
TSRSHBY10	Yellow/Black	1000mm x 25mm x 150mm	EA

 Made with durable rubber material with yellow and black colour combination for greater visibility

- Moisture and temperature resistant
- Modular design allows easy installation
- · Widely used in parking lots, workshops and other places



www.safetyware.com





TSCP2C

TSCP5C


Cable Protector

Item Code	Channel	Size (LxHxW)	Colour	Unit
TSCP2C	2	1000mm x 50mm x 250mm	Yellow/Black	EA
TSCP5C	5	900mm x 75mm x 600mm	Yellow/Black	EA

Material: Yellow Cover in EVA + Black Ramp in Rubber

- Easily manage multiple cables and wires
- Interlocking T connectors allow for multiple cable covers to be connected
- Suitable to use at public events, jobsites, warehouses and other related areas
- Can be easily access for carts and pedestrians with low angle ramps





Rubber Speed Hump and End Caps

Item Code	Description	Size	Colour	UnitUnit
TSRSHBY20 TSRSHECBY20 TSRSHBY30 TSRSHECBY30	Standard Speed Hump Standard End Cap Heavy Duty Speed Hump Heavy Duty End Cap	1000mm 380mm 1000mm 200mm	Yellow/Black Yellow, Black Yellow, Black	SET SET SET SET

· Made with durable rubber material with yellow and black colour combination for greater visibility

- Moisture and temperature resistant
- Modular design allows easy installation
- $\boldsymbol{\cdot}$ Widely used in parking lots, workshops and other places
- End caps come in 1 pair of yellow and black respectively
- TSRSHBY20 is suitable for ordinary traffic of small to medium vehicles; TSRSHBY30 is higher and ideal for big vehicles such as lorry and bus
- Included wall plugs





Rubber Wheel Stopper for Cars & Vans

Item Code	Colour	Size (LxHxW)	Unit
TSWSBY01	Yellow/Black	500mm x 100mm x 150mm	EA

- Made with rubber material which is durable which can withstand moisture and temperature
- Designed to be installed at parking lot and can
- withstand great pressure from reversing vehicle • Ideal for all surface parking-indoor and outdoor
- Easy installation with help of expansion fasteners epoxy







TSHR01



TSHR02

Hose Ramp

Item Code	Channel	Size (LxHxW)	Colour	Unit
TSHR01	2	855mm x 85mm x 300mm	Black Body with Yellow Strip	EA
TSHR02	2	1010mm x 135mm x 300mm	Black Body with Yellow Strip	EA

• •

• Protect the hose from heavy vehicle traffic

- · Supplied with two connectors fitted which enables two ramps to be joined together if required
- With three yellow high visibility strips embedded into the ramp
- Great for indoor or outdoor use
- Suitable for use with most vehicles including buses and heavy goods vehicle





Rubber Wheel Stopper for Bus and Truck

Item Code	Colour	Size (LxHxW)	Unit
TSWSBY02	Yellow/Black	550mm x 150mm x 150mm	EA
withstand moisture • Designed to be insta great pressure from	alled at parking lot and c reversing vehicle bus or truck with strong	an withstand	



Rubber Parking Block

• 🌰 •

Item Code	Colour	Size (LxHxW)	Unit
TSWSBY03	Yellow/Black	1830mm x 110mm x 150mm	EA
• Less damaging to v	ehicles upon impact		

- Less damaging to venicles upon impact
 Flexible and can complies with any asphalt or concrete
- surface
- Resistant to extreme temperature variations, UV light, oils, moisture and damage
- Temporary or permanent installation



Unit

ΕA

ΕA



TSRWC01 (Heavy Duty)



TSRWC02 (Standard)

Rubber Wheel Chock

-• .

Item Code	Туре	Weight
TSRWC01	Heavy Duty (Truck & Bus)	12kg
TSRWC02	Standard (Cars & Vans)	3.1kg

Prevent vehicles from rolling

- Keep vehicles parked securely in one place
- Textured base provides additional grip
- Oil resistance for long performance life
- Weight Capacity : 40 tons (TSRWC01),
- 3 5 tons (TSRWC02)



Size (LxHxW)

320mm x 260mm x 200mm

270mm x 180mm x 120mm









TSCGBY02

TSCGBY01

Corner Guard

Item Code	Туре	Colour	Size (LxHxW)	Unit
TSCGBY01 TSCGBY02	90° Edge Round Edge	Yellow/Black Yellow/Black	800mm x 12mm x 100mm 800mm x 20mm x 120mm	EA EA
which is du	rable and stron	sistance rubber Ig ners and columns		

- Ideal for protection of corners and columns against being damaged by moving vehicles
 Provide high reflectivity at night
- Widely used in basement parking, hotel parking and warehouse with traffic flow



Rubber Wall Guard

٠

Item Code	Colour	Size (LxHxW)	Unit
TSWGBY	Yellow/Black	1000mm x 50mm x 150mm	EA
 Resists extreme tem UV light and oil 	5	sture,	

- Adds visibility to walls for safety
- Can be used on indoor and outdoor walls
- $\boldsymbol{\cdot}$ Ideal for retail, commercial, parking structures and more
- Works great in residential garages for car parking
- Pre-drilled holes for installation





O Type Manual Parking Lock

• 🌰 •

Item Code	Colour	Size (LxHxW)	Unit
TSPLOCK	Orange	600mm x 380mm x 500mm	EA
• Motorial: High qua	lity rolled at col with pyr		

Material: High-quality rolled steel with pyrolytic coating

Usage for personal parking space

- Usage in parking lots, uptown, office building, commercial building, hotel, airport and other related areas
- Other size and weight is available



Universal Wheel Clamp

• 🌰

Item Code	Colour	Size	Unit
WL1529	Yellow/Red	155mm - 290mm	EA
 The wheel clamp is supplied Constructed from steel Clamp with PVC coating to a Adjustable to fit tyres of 155 	avoid wheel damage		¢.





Reflective Tape for Truck

Item Code	Colour	Size (LxW)	Packing	Unit
TSARFTRW2	Red/White	50m x 50mm	10 rolls/ctn	Roll
Designed for applica	ation to side and rear of	f large trailers	· · · · · · · · · · · · · · · · · · ·	

- trucks and other vehicles to increase their visibility
- Highly reflective tape with pressure sensitive adhesive
- Can be easily cut into the desired length to suit different requirement





Windsock ith Reflective Stripes

Item Code	Colour	Length	Diameter (Out/Int)	Unit
WS200	Orange	2 meters	50cm/ 40cm	EA

Made with water resistant fabric with highly visible fluorescent orange colour

• The reflective stripes enhance the visibility especially under low light condition

- Designed to show the direction & strength of the wind
- Suitable to be used at airports, factories, and other public areas
- Doesn't come with pole & frame



DMH600A



DMFXXX

Dome Mirror with Bracket

Item Code	Туре	Material	Size	Unit
DMH600A	Half	Acrylic	600mm	EA
DMF600A	Full	Acrylic	600mm	EA
DMF800A	Full	Acrylic	800mm	EA
DMF1000A	Full	Acrylic	1000mm	EA

Provide corridor intersection safety with safety traffic mirrors

• Offer bright, distortion-free views of movement from all directions at blind corners, three-way and four-way intersections

Shatter-resistant acrylic construction will not deteriorate, discolour or lose plating

• Available in 18", 26", 36" and 48" in sizes in 360°, 180° or 90° models.

• 18" and 26" models are ideal for offices and stores while 36" and 48" models are ideal for use in warehouses and production facilities

• The 600mm size is ideal for office, stores and smaller production facilities

• The 800mm and 1000mm sizes are ideal for bigger warehouse and production facilities





CMID600P



CMID600S

Indoor Convex Mirror with Bracket

Item Code	Material	Size	Shape	Unit
CMID450P	Polycarbonate	450mm	Round	EA
CMID600P	Polycarbonate	600mm	Round	EA
CMID800P	Polycarbonate	800mm	Round	EA
CMID1000P	Polycarbonate	1000mm	Round	EA
CMID490S	Stainless Steel	490mm	Round	EA
CMID600S	Stainless Steel	600mm	Round	EA

· First line of defense against theft and pilferage

· Increase aisle visibility and elimate blind spots

• Mirrors are lightweight, fade-proof and unbreakable with top-quality silvering and near-perfect convexing which affords the widest angel of vision

· Indoor mirrors are an excellent choice for plant safety, reception areas and industrial applications

• Outdoor mirrors have weather proofing to protect against the elements and are excellent for parking garages



Outdoor Convex Mirror with Bracket

Item Code	Material	Size	Shape	Unit
CMOD450P	Polycarbonate	450mm	Round	EA
CMOD600P	Polycarbonate	600mm	Round	EA
CMOD800P	Polycarbonate	800mm	Round	EA
CMOD1000P	Polycarbonate	1000mm	Round	EA
CMOD320S	Stainless Steel	320mm	Round	EA
CMOD490S	Stainless Steel	490mm	Round	EA
CMOD600S	Stainless Steel	600mm	Round	EA
CMOD800S	Stainless Steel	800mm	Round	EA
CMOD1000S	Stainless Steel	1000mm	Round	EA
CMOD4560S	Stainless Steel	600mm x 450mm	Rectangular	EA
CMOD6080S	Stainless Steel	800mm x 600mm	Rectangular	EA

First line of defense against theft and pilferage

· Increase aisle visibility and elimate blind spots

• Mirrors are lightweight, fade-proof and unbreakable with top-quality silvering and near-perfect convexing which affords the widest angel of vision

· Indoor mirrors are an excellent choice for plant safety, reception areas and industrial applications

• Outdoor mirrors have weather proofing to protect against the elements and are excellent for parking garages