

www.rhinoshoe.com info@rhinoshoe.com



Safety Footwear



ABOUT RHINO SHOE



RHINO SHOE is a leading brand of safety footwear, manufactured by Safetyware Group in Malaysia. With over 20 years of experience in the occupational safety and health industry, Safetyware Group is dedicated to providing customers with quality and reliable safety footwear. The RHINO SHOE brand is trusted by tens of thousands of customers for its commitment to safety and comfort.

Designed with the user in mind, RHINO SHOE uses only the finest materials to produce its shoes. From carefully selected high-quality leather for the shoe upper to specially formulated outsoles made of NBR, PU, and PVC, RHINO SHOE offers durability, quality, and comfort in every pair. With a range of designs and combinations of shoe materials, RHINO SHOE has a solution for every work environment, from light-duty applications to heavy industrial usage, from ESD requirements in electronics and semiconductor industries to high heat resistance needed in the steel and metal industries.

RHINO SHOE is committed to meeting the highest standards for safety footwear. All products are tested and certified to national and international standards, including Malaysia DOSH-SIRIM Standard, Singapore SS513 Standard, European EN ISO 20345 Standard, and Australia AS/NZ Standard. With a production capacity of over 1 million pairs per year, Safetyware Group is the largest safety footwear manufacturer in Malaysia. Choose RHINO SHOE for quality, safety, and peace of mind.



HERE'S OUR COMMITMENT TO ESG:

Environmental (E):

- We adopt eco-friendly manufacturing processes, ensuring minimal waste and emissions.

- Our sustainable sourcing practices promote the responsible use of raw materials.

- We actively invest in renewable energy, thus reducing our carbon footprint and contributing to a cleaner future.

Social (S):

- We engage in various community outreach programs, focusing on education, health, and well-being.
- Our inclusive work environment fosters diversity and equal opportunities for all employees.

- We provide extensive support to local communities through charitable donations and volunteer efforts.

Governance (G):

- Our corporate governance framework emphasizes transparency, accountability, and ethics.

- We comply with all legal and regulatory requirements, building trust with our stakeholders.

- Our commitment to integrity is reflected in our open communication with clients, employees, and shareholders.

Safetyware Group is not just a leader in the field of Occupational Safety and Health but also a conscientious player in the global movement towards responsible and sustainable business. We have embedded a strong commitment to Environmental, Social, and Governance (ESG) principles within our organizational fabric. We are proud members of SEDEX (The Supplier Ethical Data Exchange), and our operations adhere rigorously to SMETA (Sedex Members Trade Audit) standards. This highly respected framework encompasses labor, health and safety, environmental practices, and business ethics.

SIZE CHART

ULTRANITE SERIES

UK	3	4	5	6	7	8	9	10	11	12
US SIZE	4	5	6	7	8	9	10	11	12	13
EU	36	37	38	39 / 40	41	42	43	44	45 46	47
СМ	23.6	24.5	25.2	26.1	26.8	27.7	28.4	29.4	30.2	31.2

** Foot Length **

ULTRANITE LITE SERIES

UK	2	3	4	5	6	7	8	9	10	11
US SIZE	3	4	5	6	7	8	9	10	11	12
EU	35	36	37	38	39 40	41	42	43	44	45 46
СМ	23	23.6	24.5	25.2	26.1	26.8	27.7	28.4	29.4	30.2

** Foot Length **

WELLINGTON BOOTS

EU	36	37	38	39	40	41	42	43	44	45	46	47	48
UK	3	4	5	6	6.5	7	8	9	10	10.5	11	12	13
US SIZE	4	5	6	7	7.5	8	9	10	11	11.5	12	13	14
СМ	24.5	25.2	25.8	26.5	27.1	27.7	28.4	29	29.7	30.4	31	31.7	32.3

** Foot Length **

PU SAFETY SHOES

EU	35	36	37	38	39	40	41	42	43	44	45	46	47	48
UK	2	3	4	5	6	6.5	7	8	9	10	10.5	11	12	13
US SIZE	3	4	5	6	7	7.5	8	9	10	11	11.5	12	13	14
СМ	23.7	24.4	25	25.7	26.3	27	27.7	28.3	29	29.6	30.3	30.9	31.6	32

** Foot Length **





Anti-Slip Outsole

Anti-slip outsole helps to reduce slips, trips and falls. The shape and pattern of outsole are specially designed to increase grip on wet or oily floors. Therefore with this specially designed outsole, it can help to let users to walk freely and with better balance while moving.



Steel Toe Cap

Protects our toes from the falling of heavy objects. It is one of the most important features in every kind of safety shoes. Steel toe cap offers premium protection for your toes. Suitable to use in wide range of industrial, construction and all general purpose workplace.



Oil Resistant

Specially designed to protect the soles from damage caused by oil and other fuels. The special material used in the outsole enables you to move freely on your job without worrying that your shoes will deteriorate due to high exposure to hydrocarbons.



Penetration Resistant Insert

Reduces the risk of sharp objects penetrating through the sole. Midsoles will be used in most of the industrial or construction workplace as penetration resistant feature is highly regarded.



Waterproof material allows to use on wet condition or walk on the water. It helps to make sure water will not go into foot and become dirty or wet.



Wide safety toe cap provides more comfortable wearing experiences. It can avoid uncomfortables feeling brought from wearing normal narrow steel toe cap, more space for foot to move.



Outsoles can help to resist common acid and alkali. It enables you to work freely without worrying that your shoes will be corroded after walking on a place which is highly exposed to acid and alkali.



Energy Absorbing Seat Region

The boots include specially designed cleated heels to absorb impact when walking and offer slip resistance. It minimizes the force applied to your joints which reduces aches and pains.



Reduces the build up of excess static electricity by conducting body charge to the ground. This is essential to eliminate the risk exposed by sparks igniting flammable substances or vapours.

VALUEMAX

WELLINGTON BOOTS



VALUEMAX OB

Item Code Body Material Outsole Material Toe Cap Steel Plate Antistatic Size Available Height	: WB300-OB : PVC (Eco Grade) : PVC (Eco Grade) : No : No : No : 36 - 48 (EU) : 380 ± 20 mm
Weight	: 1.40 - 2.16 kg
-	



Anti-Slip Outsole



Energy Absorbing Seat Region Water Proof



VALUEMAX SBP

Item Code	: WB300-SBP
Body Material	: PVC (Eco Grade)
Outsole Material	: PVC (Eco Grade)
Toe Cap	: Yes
Steel Plate	: Yes
Antistatic	: No
Size Available	: 36 - 48 (EU)
Height	: 380 ± 20 mm
Weight	: 1.40 - 2.16 kg



Anti-Slip Outsole





Energy Absorbing Seat Region



Wide Profile Safety Toe Cap

AQUAMAX

Item Code	: WB400-O4
Body Material	: PVC (Premium Grade)
Outsole Material	: PVC (Premium Grade)
Тое Сар	: No
Steel Plate	: No
Antistatic	: Yes
Size Available	: 36 - 48 (EU)
Height	: 380 ± 20 mm
Weight	: 1.58 - 2.39 kg
Safety Standard	: EN ISO 20347:2022 04
-	SIRIM MS ISO 20347:2008 04



AQUAMAX O4

COLOUR VARIATION









Antistatic

Proof





Energy Absorbing Seat Region

Chemical

Resistant

Resistant

Oil

AQUAMAX SERIES

ULTRAMAX



COLOUR VARIATION



ULTRAMAX S4

ULTRAMAX S5

ULTRAMAX S4

	: WB500-S4 : PVC (Premium Grade) : PVC + Nitrile Blend
	(Premium Grade)
Тое Сар	: Yes
Steel Plate	: No
Antistatic	: Yes
Size Available	: 36 - 48 (EU)
Height	: 380 ± 20 mm
Weight	: 1.72 - 2.67 kg
Safety Standard	: EN ISO 20345:2022 S4 F0 SIRIM MS ISO 20345:2008 S4

ULTRAMAX S5

Item Code	: WB500-S5
Body Material	: PVC (Premium Grade)
Outsole Material	: PVC + Nitrile Blend
	(Premium Grade)
Toe Cap	: Yes
Steel Plate	: Yes
Antistatic	: Yes
Size Available	: 36 - 48 (EU)
Height	: 380 ± 20 mm
Weight	: 1.72 - 2.67 kg
Safety Standard	: EN ISO 20345:2022 S5 FO
	SIRIM MS ISO 20345:2008 S5











Wide Profile



Safety Toe Cap







Energy Absorbing Seat Region



Antistatic







ΠE

HIGHLY FLEXIBLE



SERIES

Designed For Maximum Protection and Durability





SAFETYSHOES

ULTRANITE



Style	: Low Cut, Lace-Up
Color	: Black
Upper Material	: Full Grain Buffalo Leather with Barton Print
Outsole Material	: Direct Vulcanized Nitrile Rubber
Тое Сар	: Fibreglass Toe Cap
Midsole	: Anti-Penetration Fabric
Antistatic	: Yes
Sizes Available	: 3 – 12 (UK)
Safety Standard	: • EN ISO 20345:2012 S1P HRO SRC
	SIRIM MS ISO 20345:2008 SBP HRO
	(DOSH approval No. = JKKP SS 134/19)
	SS 513-1: 2013 S1P HRO SRC





Style	: Mid Cut, Lace-Up
Color	: Black
Upper Material	: Full Grain Buffalo Leather with Barton Print
Outsole Material	: Direct Vulcanized Nitrile Rubber
Тое Сар	: Fibreglass Toe Cap
Midsole	: Anti-Penetration Fabric
Antistatic	: Yes
Sizes Available	: 3 – 12 (UK)
Safety Standard	: • EN ISO 20345:2012 S1P HRO SRC
	 SIRIM MS ISO 20345:2008 SBP HRO
	(DOSH approval No. = JKKP SS 136/19)
	SS 513-1: 2013 S1P HRO SRC

ULTRANITE

	UN203SP
The second	

Style	: Mid Cut, Zip-Up	
Color	: Black	
Upper Material	: Full Grain Buffalo Leather with Barton Print	
Outsole Materia	I : Direct Vulcanized Nitrile Rubber	
Toe Cap	: Fibreglass Toe Cap	
Midsole	: Anti-Penetration Fabric	
Antistatic	: Yes	
Sizes Available	: 3 – 12 (UK)	
Safety Standard	: • EN ISO 20345:2012 S3 HRO SRC	
	 SIRIM MS ISO 20345:2008 SBP HRO 	
	(DOSH approval No. = JKKP SS 137/19)	

• SS 513-1: 2013 S3 HRO SRC

Style	: High Cut, Pull-Up
Color	: Brown/Black
Upper Material	: Full Grain Buffalo Leather with Booty Print
Outsole Materia	I : Direct Vulcanized Nitrile Rubber
Тое Сар	: Fibreglass Toe Cap
Midsole	: Anti-Penetration Fabric
Antistatic	: Yes
Sizes Available	: 3 – 12 (UK)
Safety Standard	: • EN ISO 20345:2012 S3 HRO SRC
	SIRIM MS ISO 20345:2008 SBP HRO
	(DOSH approval No. = JKKP SS 138/19, JKKP SS 139/19)
	 SS 513-1: 2013 S3 HRO SRC








Cemented with Side Stitching

Protect Your Feet From Danger



ULTRANITE LITE



Style	: Low Cut, Lace-Up
Color	: Black
Upper Material	: Full Grain Buffalo Leather with Barton Print
Outsole Materia	: Nitrile Rubber
Toe Cap	: Steel Toe Cap
Midsole	: Optional, can be added upon request
Antistatic	: Yes
Sizes Available	: 2 – 11 (UK)
Safety Standard	: SIRIM: S1P HRO FO
(DOSH Approval	No. = JKKP/2022/12-01/02/00112/0001)

Style	: Low Cut, Slip-On
Color	: Black
Upper Material	: Full Grain Buffalo Leather with Barton Print
Outsole Materia	I : Nitrile Rubber
Тое Сар	: Steel Toe Cap
Midsole	: Optional, can be added upon request
Antistatic	: Yes
Sizes Available	: 2 – 11 (UK)
Safety Standard	: SIRIM: S1P HRO FO
(DOSH Approval	No. = JKKP/2022/12-01/02/00112/0002)





Style	: Mid Cut, Lace-Up
Color	: Black
Upper Material	: Full Grain Buffalo Leather with Barton Print
Outsole Material	: Nitrile Rubber
Toe Cap	: Steel Toe Cap
Midsole	: Optional, can be added upon request
Antistatic	: Yes
Sizes Available	: 2 – 11 (UK)
Safety Standard	: SIRIM: S1P HRO FO
(DOSH Approval	No. = JKKP/2022/12-01/02/00112/0003)

ULTRANITE LITE

 Style
 : Mid Cut, Zip-Up

 Color
 : Black

 Upper Material
 : Full Grain Buffalo Leather with Barton Print

 Outsole Material
 : Nitrile Rubber

 Toe Cap
 : Steel Toe Cap

 Midsole
 : Optional, can be added upon request

 Antistatic
 : Yes

 Sizes Available
 : 2 - 11 (UK)

 Safety Standard
 : SIRIM: S3 HRO FO

 (DOSH Approval No. = JKKP/2022/12-01/02/00112/0004)





ULTRANITE LITE

AFFORDABLE SAFETY, UNCOMPROMISED QUALITY





HIGH QUALITY PU OUTSOLE SAFETY SHOES

Designed for Comfort, Built for Safety





Antistatic











Abrasion-Resistant

Lightweight

Oil Resistance

Non-Marking

SAFEGUARD



Style	: Low Cut, Lace-Up
Color	: Black
Upper Material	: Full Grain Leather with Barton Print
Outsole Materia	: Single Density PU
Toe Cap	: Steel Toe Cap
Midsole	: Steel Plate
Antistatic	: Yes
Sizes Available	: 35 - 48 (EU)
	02 - 13 (UK)
Safety Standard	: • EN ISO 20345:2022 S3 SR FO
	• SIRIM MS ISO 20345:2008 S3 SRC



FLEXIGUARD



Style	: Low Cut, Lace-Up
Color	: Black
Upper Material	: Full Grain Leather with Booty Print
Outsole Material	: Double Density PU/PU
Toe Cap	: Fibreglass Toe Cap
Midsole	: Anti-Penetration Fabric
ESD	: Yes
Sizes Available	: 35 - 48 (EU)
	02 - 13 (UK)
Safety Standard	: • EN ISO 20345:2022 S3S SR FO
	 SIRIM MS ISO 20345:2008 S3 ESD SRC

FLEXIGUARD



Style	: Low Cut, Slip-On	
Color	: Black	
Upper Material	: Full Grain Leather with Booty Print	
Outsole Materia	I : Double Density PU/PU	
Toe Cap	: Fibreglass Toe Cap	
Midsole	: Anti-Penetration Fabric	
ESD	: Yes	
Sizes Available	: 35 - 48 (EU)	
	02 - 13 (UK)	
Safety Standard	: • EN ISO 20345:2022 S3S SR FO	
	SIRIM MS ISO 20345:2008 S3 ESD SRC	

Style	: Low Cut, Slip-On		
Color	: White		
Upper Material	: Washable Microfibre	IV102KP	
Outsole Materia	I : Double Density PU/PU		
Toe Cap	: Fibreglass Toe Cap		
Midsole	: Anti-Penetration Fabric		
ESD	: Yes	Metal Free	()
Sizes Available	: 35 - 48 (EU)		
	02 - 13 (UK)		
Safety Standard	: • EN ISO 20345:2022 S3S SR FO		
	 SIRIM MS ISO 20345:2008 S3 ESD SRC 	ESD/	

PRIMEGUARD



Style	: Low Cut, Lace-Up
Color	: Brown
Upper Material	: Premium Buffalo Crazy Horse Leather
Outsole Materia	I : Double Density PU/PU
Toe Cap	: Fibreglass Toe Cap
Midsole	: Anti-Penetration Fabric
ESD	: Yes
Sizes Available	: 35 - 48 (EU)
	02 - 13 (UK)
Safety Standard	: • EN ISO 20345:2022 S3S SR FO
	SIRIM MS ISO 20345:2008 S3S ESD SRC

PRIMEGUARD



Style	: Low Cut, Lace-Up	
Color	: Brown	
Upper Material	: Premium Buffalo Crazy Horse Leather	
Outsole Material	: Double Density PU/PU	
Тое Сар	: Fibreglass Toe Cap	
Midsole	: Anti-Penetration Fabric	
ESD	: Yes	
Sizes Available	: 35 - 48 (EU)	
	02 - 13 (UK)	
Safety Standard	: • EN ISO 20345:2022 S3S SR FO	
	• SIRIM MS ISO 20345:2008 S3S ESD	

Style	: Mid Cut, Lace-Up
Color	: Brown
Upper Material	: Premium Buffalo Crazy Horse Leather
Outsole Material	: Double Density PU/PU
Toe Cap	: Fibreglass Toe Cap
Midsole	: Anti-Penetration Fabric
ESD	: Yes
Sizes Available	: 35 - 48 (EU)
	02 - 13 (UK)
Safety Standard	: • EN ISO 20345:2022 S3S SR FO
	• SIRIM MS ISO 20345:2008 S3S ESD S



SRC



Style	: High Cut, Pull-Up
Color	: Brown
Upper Material	: Premium Buffalo Crazy Horse Leather
Outsole Materia	I : Double Density PU/PU
Toe Cap	: Fibreglass Toe Cap
Midsole	: Anti-Penetration Fabric
Antistatic	: Yes
Sizes Available	: 35 - 48 (EU)
	02 - 13 (UK)
Safety Standard	: • EN ISO 20345:2022 S3S SR FO
	 SIRIM MS ISO 20345:2008 S3S ESD SRC

VOLTGUARD



Style	: Low Cut, Lace-Up
Color	: Black
Upper Material	: Premium Buffalo Crazy Horse Leather
Outsole Material	: Double Density PU/PU
Тое Сар	: Fibreglass Toe Cap
Midsole	: Anti-Penetration Fabric
Insulating	: Yes
Sizes Available	: 35 - 48 (EU)
	02 - 13 (UK)
Safety Standard	: • EN ISO 20345:2022 SB E WPA PS SR FO
	• SIRIM MS ISO 20345:2008 SBP E WRU FO SRC



ACCESSORIES





Art No.	Description	Size	Unit
PU-INSOCK	Rhino Shoe Soft & Comfortable PU Insock	S (S5 - S6) M (S7 - S8) L (S9 - S10) XL (S11 - S12)	Pair

PU INSOCK

- Offers superior comfort and reduce leg fatigue.
- These full length polyurethane insock helps to distribute the weight of your body evenly over your feet.
- Provide arch support and flexibility for added comfort and relieve sore, tired, burning, aching feet.
- Reduce ankle, leg and lower back pain.
- Sweat-absorbent and breathable.
- High-rebound performance.
- Support your foot to provide extra cushioning.

RHINO SHOE LACES



SHOELACEBLW00 • Black & White • 100cm (L), 3.5mm (dia)



SHOELACEBLO00 • Black & Orange • 90cm (L), 3.5mm (dia)

RHINO SOCKS



Made with Cotton + Spandex Material for better comfort and durability.
Free Size

SOCKS-RHINO



Electrical Hazard

Electrical Hazard Electrical Hazard safety shoes are designed to provide crucial protection for workers in environments where they may be exposed to electrical hazards. These specialized footwear are equipped with non-conductive materials that prevent the flow of electric current through the shoe, reducing the risk of electric shock. By acting as a barrier against electrical currents, these safety shoes help safeguard workers and ensure their safety in potentially hazardous electrical work settings.



Steel Toe Cap Toe Cap is used to protect our toes from the falling of heavy objects. It is one of the important feature in every kind of safety shoes. Steel Toe Cap offers premium protection for your toes. It can resist drop force of 200 joules and is suitable to use in wide range of industrial, construction and all general purpose workplace.

Fibreglass Toe Cap Fibreglass Toe Cap is virtually free of metal components, therefore you can move through security environment without any hassle. It is lighther when comparing to steel toe cap and will be more flexible. As a non-metal, it will not rust and will not transmit electricity. It can resist drop force of 200 joules as well.





Oil Resistant Oil Resistant feature is specially designed to protect the soles from damaged caused by oil and other fuels. The special material used in the outsole enables you to move freely on your job without worrying that your shoes will deteriorate due to high exposure to hydrocarbons.

Chemical Resistant Outsole The special material used in these safety shoes' outsoles can help to resist common acid and alkali. It enables you to work freely without worrying that your shoes will be corroded after walking on a place which is highly exposed to acid and alkali.



Anti-Slip Outsole Anti-slip outsole will help to reduce slips, trips and falls. The shape and pattern of RHINO SHOE outsole were specially design to increase grip on wet or oily floors. Therefore with this specially design outsole, it can help to let users to walk freely and with better balance while moving movina.



Heat Resistant

The heat resistant of safety shoes will protect you for small period of time where you are exposed to direct heat that exceeds or meets certain temperature. RHINO SHOE with Nitrile Rubber outsole can withstand heat temperature up to 300°C.



Electrostatic Discharge (ESD) ESD is the sudden flow of electricity between two electrical charged objects caused by contact, electrical short or dielectric breakdown. It can be caused by tribocharging or electrical induction. Therefore, ESD feature in safety shoes is important to protect sensitive equipment from damage and reduce the danger of ignition or explosion of hazardous materials caused by the build up and release of static electricity. the build up and release of static electricity



MAKE YOUR EVERY STEP SAFER

SAFETYWARE GROUP BERHAD 200301030551 (632971-X)



Penang Head Office Plot 237, Lengkok Perindustrian Bukit Minyak 3, Bukit Minyak Industrial Estate, 14100 Simpang Ampat, Penang, Malaysia. TEL : +604 - 5023 882 (8 lines) FAX : +604 - 5081 882

Kuala Lumpur Office No. 8, Jalan Delta U6/18, Taman Perindustrian Sunway Subang, Seksyen U6, 40150 Shah Alam, Selangor, Malaysia. Tel: +603-6262 0882 (4 Lines) Fax : +603-6270 0393

Melaka Office No. 6A & 6A-1, Jalan IKS M 5, Taman IKS Merdeka, 75350 Batu Berendam, Melaka, Malaysia. Tel: +606-336 3882 (2 Lines) Fax : +606-337 5881 Johor Office No.8 Jalan Ekoperniagaan 2/3, Taman Ekoperniagaan, 81100 Johor Bharu, Johor, Malaysia. **Tel: +607-511 4882 Fax : +607-562 8880**

Pahang Office A21, Lorong Balok Perdana 3/1, Taman Balok Perdana, 26080 Kuantan, Pahang, Malaysia. Tel: +609-509 3882 (2 Lines) Fax : +609-509 3880

Sabah Office DBKK Unit, No.7, Lot 7,Lorong Bizhub 1,Sierra Bizhub Warehouse,Batu 13.5, Jalan Tuaran,88450 Kota Kinabalu, Sabah, Malaysia. Tel: +608-841 2982 Fax: +608-848 9282

Sarawak Office Gr flr and 1st flr, Sublot 6, City Square Phase II, Section 64, KTLD, Jalan Pending, 93450 Kuching, Sarawak, Malaysia. Tel: +608-226 6182 Fax: +608-226 6182



SAFETYWARE AUSTRALIA PTY LTD (ABN: 19640065096)

5/21 Yiannis Court, Springvale, VIC 3171, Australia. **TEL : +61 3 9103 1428**



SAFETYWARE (SG) PTE LTD (201208598R)

10 Raeburn Park, #02-08, Singapore 088702. TEL : +65 6744 0882 /+65 9819 3376

www.safetyware.com info@safetyware.com.my