

PRODUCT SPECIFICATION

SAFETYWARE ChemArmor™ Nitrile Full Coating & Nitrile Palm Coating Cut Level D Chemical Resistant Gloves

Item Code: CMA02-GRN

- Sandy nitrile coating offers exceptional flexibility and grip in both wet and dry conditions, which is crucial for handling tasks where a secure hold on objects is essential.
- Constructed using 18-Gauge HPPE blend with glass fiber, which offers exceptional protection with a Level D cut resistance rating, making them highly effective at guarding against cuts and lacerations.
- Provide superior abrasion resistance, ensuring durability even in demanding work environments where abrasive materials are prevalent.
- Provide resistance to a range of chemicals, adding an additional layer of protection for workers who may be exposed to chemical substances.
- Feature three layers of nitrile coating, which contribute to their excellent grip and durability. This multi-layered approach ensures long-lasting performance.



APPLICATIONS

- Chemical Handling
- Oil Refining
- Agriculture
- Painting & Coating
- Food Processing
- Printing Industry
- Automotive Industry
- Pharmaceutical and Chemical Laboratories

TECHNICAL DATA

MATERIAL	18-Gauge HPPE blend with glass fiber
COATING	1st & 2nd layer: Green smooth nitrile full coating 3rd layer: Green sandy nitrile palm coating
COLOR	Green/Black
SIZE	8-10
LENGTH	~ 350 mm
STANDARD	EN ISO 21420: 2020 Dexterity 5 EN 388: 2016 + A1: 2018 4X42D EN ISO 374-1:2016 + A1:2018 Type A JKLOPT EN ISO 374-5:2016 Micro Organisms EN 407: 2020 X1XXXX
PACKAGING	1 pair/ polybag, 10 pairs/ bag, 60 pairs/ carton

EN 388:2016 +A1:2018 4X42D EN ISO 374-1:2016 /A1:2018/Type A JKLOPT EN ISO 374-5:2016 EN 407:2020 X1XXXX

PERFORMANCE PROPERTIES

EN388	ABRASION	4	EN374-1	J	N - Heptane	6
	CUT	X		K	Sodium Hydroxide 40%	4
	TEAR	4		L	Sulfuric Acid 96%	6
	PUNCTURE	2		O	Ammonium Hydroxide 25%	6
	CUT RESISTANCE METHOD (EN ISO 13997)	D		P	Hydrogen Peroxide 30%	6
				T	Formaldehyde 37%	6