



www.rhinoshoe.com
info@rhinoshoe.com

MAKE YOUR EVERY STEP

SAFER



ABOUT RHINO SHOE

RHINO SHOE is a leading brand of safety footwear, manufactured by Safetyware Group in Malaysia. With over 20 years of experience in the occupational safety and health industry, Safetyware Group is dedicated to providing customers with quality and reliable safety footwear. The RHINO SHOE brand is trusted by tens of thousands of customers for its commitment to safety and comfort.

Designed with the user in mind, RHINO SHOE uses only the finest materials to produce its shoes. From carefully selected high-quality leather for the shoe upper to specially formulated outsoles made of NBR, PU, and PVC, RHINO SHOE offers durability, quality, and comfort in every pair. With a range of designs and combinations of shoe materials, RHINO SHOE has a solution for every work environment, from light-duty applications to heavy industrial usage, from ESD requirements in electronics and semiconductor industries to high heat resistance needed in the steel and metal industries.

RHINO SHOE is committed to meeting the highest standards for safety footwear. All products are tested and certified to national and international standards, including Malaysia DOSH-SIRIM Standard, Singapore SS513 Standard, European EN ISO 20345 Standard, and Australia AS/NZ Standard. With a production capacity of over 1 million pairs per year, Safetyware Group is the largest safety footwear manufacturer in Malaysia. Choose RHINO SHOE for quality, safety, and peace of mind.



HERE'S OUR COMMITMENT TO ESG:

▪ **Environmental (E):**

- We adopt eco-friendly manufacturing processes, ensuring minimal waste and emissions.
- Our sustainable sourcing practices promote the responsible use of raw materials.
- We actively invest in renewable energy, thus reducing our carbon footprint and contributing to a cleaner future.

▪ **Social (S):**

- We engage in various community outreach programs, focusing on education, health, and well-being.
- Our inclusive work environment fosters diversity and equal opportunities for all employees.
- We provide extensive support to local communities through charitable donations and volunteer efforts.

▪ **Governance (G):**

- Our corporate governance framework emphasizes transparency, accountability, and ethics.
- We comply with all legal and regulatory requirements, building trust with our stakeholders.
- Our commitment to integrity is reflected in our open communication with clients, employees, and shareholders.

Safetyware Group is not just a leader in the field of Occupational Safety and Health but also a conscientious player in the global movement towards responsible and sustainable business. We have embedded a strong commitment to Environmental, Social, and Governance (ESG) principles within our organizational fabric. We are proud members of SEDEX (The Supplier Ethical Data Exchange), and our operations adhere rigorously to SMETA (Sedex Members Trade Audit) standards. This highly respected framework encompasses labor, health and safety, environmental practices, and business ethics.

SIZE CHART

ULTRANITE SERIES

UK SIZE	3	4	5	6	7	8	9	10	11	12
US SIZE	4	5	6	7	8	9	10	11	12	13
EU SIZE	36	37	38	39	40	41	42	43	44	45
CM	23.6	24.5	25.2	26.1	26.8	27.7	28.4	29.4	30.2	31.2

** Foot Length **

WELLINGTON BOOTS

EU SIZE	36	37	38	39	40	41	42	43	44	45	46	47	48
UK SIZE	3	4	5	6	6.5	7	8	9	10	10.5	11	12	13
US SIZE	4	5	6	7	7.5	8	9	10	11	11.5	12	13	14
CM	24.5	25.2	25.8	26.5	27.1	27.7	28.4	29	29.7	30.4	31	31.7	32.3

** Foot Length **

PU SAFETY SHOES

EU SIZE	35	36	37	38	39	40	41	42	43	44	45	46	47	48
UK SIZE	2	3	4	5	6	6.5	7	8	9	10	10.5	11	12	13
US SIZE	3	4	5	6	7	7.5	8	9	10	11	11.5	12	13	14
CM	23.7	24.4	25	25.7	26.3	27	27.7	28.3	29	29.6	30.3	30.9	31.6	32

** Foot Length **

VALUEMAX

VALUEMAX SERIES



WELLINGTON BOOTS

VALUEMAX OB

Item Code	: WB300-OB
Body Material	: PVC (Eco Grade)
Outsole Material	: PVC (Eco Grade)
Toe Cap	: No
Steel Plate	: No
Antistatic	: No
Size Available	: 36 - 48 (EU)
Height	: 380 ± 20 mm
Weight	: 1.40 - 2.16 kg



Anti-Slip
Outsole



Water
Proof



Energy Absorbing
Seat Region



VALUEMAX SBP

Item Code	: WB300-SBP
Body Material	: PVC (Eco Grade)
Outsole Material	: PVC (Eco Grade)
Toe Cap	: Yes
Steel Plate	: Yes
Antistatic	: No
Size Available	: 36 - 48 (EU)
Height	: 380 ± 20 mm
Weight	: 1.40 - 2.16 kg



Anti-Slip
Outsole



Water
Proof



Energy Absorbing
Seat Region



Wide Profile
Safety Toe Cap

AQUAMAX

Item Code	: WB400-04
Body Material	: PVC (Premium Grade)
Outsole Material	: PVC (Premium Grade)
Toe Cap	: No
Steel Plate	: No
Antistatic	: Yes
Size Available	: 36 - 48 (EU)
Height	: 380 ± 20 mm
Weight	: 1.58 - 2.39 kg
Safety Standard	: EN ISO 20347:2022 O4 SIRIM MS ISO 20347:2008 O4



AQUAMAX 04

COLOUR VARIATION



AQUAMAX SERIES

Chemical
Resistant



Anti-Slip
Outsole



Oil
Resistant



Antistatic



Energy Absorbing
Seat Region



Water
Proof





ULTRAMAX S4

Item Code	: WB500-S4
Body Material	: PVC (Premium Grade)
Outsole Material	: PVC + Nitrile Blend (Premium Grade)
Toe Cap	: Yes
Steel Plate	: No
Antistatic	: Yes
Size Available	: 36 - 48 (EU)
Height	: 380 ± 20 mm
Weight	: 1.72 - 2.67 kg
Safety Standard	: EN ISO 20345:2022 S4 FO SIRIM MS ISO 20345:2008 S4

COLOUR VARIATION



ULTRAMAX S4

ULTRAMAX S5

ULTRAMAX S5

Item Code	: WB500-S5
Body Material	: PVC (Premium Grade)
Outsole Material	: PVC + Nitrile Blend (Premium Grade)
Toe Cap	: Yes
Steel Plate	: Yes
Antistatic	: Yes
Size Available	: 36 - 48 (EU)
Height	: 380 ± 20 mm
Weight	: 1.72 - 2.67 kg
Safety Standard	: EN ISO 20345:2022 S5 FO SIRIM MS ISO 20345:2008 S5



Anti-Slip Outsole



Water Proof



Chemical Resistant



Wide Profile Safety Toe Cap



Steel Plate Midsole



Oil Resistant



Energy Absorbing Seat Region



Antistatic



DIRECT VULCANISED
TECHNOLOGY (DVT)

HIGHLY
FLEXIBLE



ULTRANITE SERIES

Designed For Maximum
Protection and Durability



Fibreglass
Toe Cap



Anti-Penetration
Fabric Midsole



Premium Quality

Full Grain

Buffalo Leather

Upper



Oil Resistant



Chemical
Resistant Outsole
(Common Acids
and Alkalies)



Heat Resistant

(Up to 300°C)



Wide Profile Safety

Toe Cap

for better

fit & comfort



SAFETYSHOES

ULTRANITE



UN101SP

Style : Low Cut, Lace-Up
Color : Black
Upper Material : Full Grain Buffalo Leather with Barton Print
Outsole Material : Direct Vulcanized Nitrile Rubber
Toe Cap : Fibreglass Toe Cap
Midsole : Anti-Penetration Fabric
Antistatic : Yes
Sizes Available : 3 – 12 (UK)
Safety Standard : ▪ EN ISO 20345:2012 S1P HRO SRC
▪ SIRIM MS ISO 20345:2008 SBP HRO
(DOSH approval No. = JKKP SS 134/19)
▪ SS 513-1: 2013 S1P HRO SRC

ULTRANITE SERIES

Style : Low Cut, Slip-On
Color : Black
Upper Material : Full Grain Buffalo Leather with Barton Print
Outsole Material : Direct Vulcanized Nitrile Rubber
Toe Cap : Fibreglass Toe Cap
Midsole : Anti-Penetration Fabric
Antistatic : Yes
Sizes Available : 3 – 12 (UK)
Safety Standard : ▪ EN ISO 20345:2012 S1P HRO SRC
▪ SIRIM MS ISO 20345:2008 SBP HRO
(DOSH approval No. = JKKP SS 135/19)
▪ SS 513-1: 2013 S1P HRO SRC

UN102SP



UN201SP

Style : Mid Cut, Lace-Up
Color : Black
Upper Material : Full Grain Buffalo Leather with Barton Print
Outsole Material : Direct Vulcanized Nitrile Rubber
Toe Cap : Fibreglass Toe Cap
Midsole : Anti-Penetration Fabric
Antistatic : Yes
Sizes Available : 3 – 12 (UK)
Safety Standard : ▪ EN ISO 20345:2012 S1P HRO SRC
▪ SIRIM MS ISO 20345:2008 SBP HRO
(DOSH approval No. = JKKP SS 136/19)
▪ SS 513-1: 2013 S1P HRO SRC

ULTRANITE



UN203SP

Style	: Mid Cut, Zip-Up
Color	: Black
Upper Material	: Full Grain Buffalo Leather with Barton Print
Outsole Material	: Direct Vulcanized Nitrile Rubber
Toe Cap	: Fibreglass Toe Cap
Midsole	: Anti-Penetration Fabric
Antistatic	: Yes
Sizes Available	: 3 – 12 (UK)
Safety Standard	<ul style="list-style-type: none"> ▪ EN ISO 20345:2012 S3 HRO SRC ▪ SIRIM MS ISO 20345:2008 SBP HRO (DOSH approval No. = JKKP SS 138/19, JKKP SS 139/19) ▪ SS 513-1: 2013 S3 HRO SRC

Style	: High Cut, Pull-Up
Color	: Brown/Black
Upper Material	: Full Grain Buffalo Leather with Booty Print
Outsole Material	: Direct Vulcanized Nitrile Rubber
Toe Cap	: Fibreglass Toe Cap
Midsole	: Anti-Penetration Fabric
Antistatic	: Yes
Sizes Available	: 3 – 12 (UK)
Safety Standard	<ul style="list-style-type: none"> ▪ EN ISO 20345:2012 S3 HRO SRC ▪ SIRIM MS ISO 20345:2008 SBP HRO (DOSH approval No. = JKKP SS 138/19, JKKP SS 139/19) ▪ SS 513-1: 2013 S3 HRO SRC



UN302SP



RHINO SHOE MATERIAL TECHNOLOGY



HIGH QUALITY PU OUTSOLE SAFETY SHOES

Designed for Comfort, Built for Safety



Direct Injection



Antistatic



Abrasion-Resistant



Lightweight



Oil Resistance



Non-Marking



Slip-Resistant

SAFEGUARD



PU101SP

Style : Low Cut, Lace-Up
Color : Black
Upper Material : Full Grain Leather with Barton Print
Outsole Material : Single Density PU
Toe Cap : Steel Toe Cap
Midsole : Steel Plate
Antistatic : Yes
Sizes Available : 35 - 48 (EU)
02 - 13 (UK)
Safety Standard : • EN ISO 20345:2022 S3 SR FO
• SIRIM MS ISO 20345:2008 S3 SRC

Style : Mid Cut, Lace-Up
Color : Black
Upper Material : Full Grain Leather with Barton Print
Outsole Material : Single Density PU
Toe Cap : Steel Toe Cap
Midsole : Steel Plate
Antistatic : Yes
Sizes Available : 35 - 48 (EU)
02 - 13 (UK)
Safety Standard : • EN ISO 20345:2022 S3 SR FO
• SIRIM MS ISO 20345:2008 S3 SRC

PU201SP



PU SAFETY SHOE

FLEXIGUARD

ES101KP



Style : Low Cut, Lace-Up
Color : Black
Upper Material : Full Grain Leather with Booty Print
Outsole Material : Double Density PU/PU
Toe Cap : Fibreglass Toe Cap
Midsole : Anti-Penetration Fabric
ESD : Yes
Sizes Available : 35 - 48 (EU)
02 - 13 (UK)
Safety Standard : • EN ISO 20345:2022 S3S SR FO
• SIRIM MS ISO 20345:2008 S3 ESD SRC

FLEXIGUARD

ES102KP



Style : Low Cut, Slip-On
Color : Black
Upper Material : Full Grain Leather with Booty Print
Outsole Material : Double Density PU/PU
Toe Cap : Fibreglass Toe Cap
Midsole : Anti-Penetration Fabric
ESD : Yes
Sizes Available : 35 - 48 (EU)
02 - 13 (UK)
Safety Standard : • EN ISO 20345:2022 S3S SR FO
• SIRIM MS ISO 20345:2008 S3 ESD SRC

PU SAFETY SHOE

Style : Low Cut, Slip-On
Color : White
Upper Material : Washable Microfibre
Outsole Material : Double Density PU/PU
Toe Cap : Fibreglass Toe Cap
Midsole : Anti-Penetration Fabric
ESD : Yes
Sizes Available : 35 - 48 (EU)
02 - 13 (UK)
Safety Standard : • EN ISO 20345:2022 S3S SR FO
• SIRIM MS ISO 20345:2008 S3 ESD SRC

IV102KP



PRIMEGUARD

CH101KP



Style : Low Cut, Lace-Up
Color : Brown
Upper Material : Premium Buffalo Crazy Horse Leather
Outsole Material : Double Density PU/PU
Toe Cap : Fibreglass Toe Cap
Midsole : Anti-Penetration Fabric
ESD : Yes
Sizes Available : 35 - 48 (EU)
02 - 13 (UK)
Safety Standard : • EN ISO 20345:2022 S3S SR FO
• SIRIM MS ISO 20345:2008 S3S ESD SRC

PRIMEGUARD

CH111KP



Style : Low Cut, Lace-Up
Color : Brown
Upper Material : Premium Buffalo Crazy Horse Leather
Outsole Material : Double Density PU/PU
Toe Cap : Fibreglass Toe Cap
Midsole : Anti-Penetration Fabric
ESD : Yes
Sizes Available : 35 - 48 (EU)
 02 - 13 (UK)
Safety Standard : • EN ISO 20345:2022 S3S SR FO
 • SIRIM MS ISO 20345:2008 S3S ESD SRC

PU SAFETY SHOE

CH211KP



Style : Mid Cut, Lace-Up
Color : Brown
Upper Material : Premium Buffalo Crazy Horse Leather
Outsole Material : Double Density PU/PU
Toe Cap : Fibreglass Toe Cap
Midsole : Anti-Penetration Fabric
ESD : Yes
Sizes Available : 35 - 48 (EU)
 02 - 13 (UK)
Safety Standard : • EN ISO 20345:2022 S3S SR FO
 • SIRIM MS ISO 20345:2008 S3S ESD SRC



CH302KP



Style : High Cut, Pull-Up
Color : Brown
Upper Material : Premium Buffalo Crazy Horse Leather
Outsole Material : Double Density PU/PU
Toe Cap : Fibreglass Toe Cap
Midsole : Anti-Penetration Fabric
Antistatic : Yes
Sizes Available : 35 - 48 (EU)
 02 - 13 (UK)
Safety Standard : • EN ISO 20345:2022 S3S SR FO
 • SIRIM MS ISO 20345:2008 S3S ESD SRC

VOLTGUARD



EH101KP

**ELECTRICAL
INSULATION**
**18kV
PROTECTION**

Style	: Low Cut, Lace-Up
Color	: Black
Upper Material	: Premium Buffalo Crazy Horse Leather
Outsole Material	: Double Density PU/PU
Toe Cap	: Fibreglass Toe Cap
Midsole	: Anti-Penetration Fabric
Insulating	: Yes
Sizes Available	: 35 - 48 (EU) 02 - 13 (UK)
Safety Standard	: - EN ISO 20345:2022 SB E WPA PS SR FO - SIRIM MS ISO 20345:2008 SBP E WRU FO SRC

PU SAFETY SHOE

ACCESSORIES



PUINSOCK



Extra Comfort

Art No.	Description	Size	Unit
PU-INSOCK	Rhino Shoe Soft & Comfortable PU Insock	S (S5 - S6) M (S7 - S8) L (S9 - S10) XL (S11 - S12)	Pair

PU INSOCK

- Offers superior comfort and reduce leg fatigue.
- These full length polyurethane insock helps to distribute the weight of your body evenly over your feet.
- Provide arch support and flexibility for added comfort and relieve sore, tired, burning, aching feet.
- Reduce ankle, leg and lower back pain.
- Sweat-absorbent and breathable.
- High-rebound performance.
- Support your foot to provide extra cushioning.

RHINO SHOE LACES



SHOELACEBLW00

- Black & White
- 100cm (L), 3.5mm (dia)



SHOELACEBLO00

- Black & Orange
- 90cm (L), 3.5mm (dia)

RHINO SOCKS



SOCKS-RHINO

- Made with Cotton + Spandex Material for better comfort and durability.
- Free Size



Penetration Resistant Insert

In order to have extra protection, midsole is added in some of the safety shoes to reduce the risk of sharp objects penetrating through the sole. RHINO SHOE have two different types of midsole which are Steel Plate and Anti-Penetration Fabric Midsole. These midsoles will be used in most of the industrial or construction workplace as penetration resistant feature is highly regarded.



Electrical Hazard

Electrical Hazard safety shoes are designed to provide crucial protection for workers in environments where they may be exposed to electrical hazards. These specialized footwear are equipped with non-conductive materials that prevent the flow of electric current through the shoe, reducing the risk of electric shock. By acting as a barrier against electrical currents, these safety shoes help safeguard workers and ensure their safety in potentially hazardous electrical work settings.



Steel Toe Cap

Toe Cap is used to protect our toes from the falling of heavy objects. It is one of the important feature in every kind of safety shoes. Steel Toe Cap offers premium protection for your toes. It can resist drop force of 200 joules and is suitable to use in wide range of industrial, construction and all general purpose workplace.



Fiberglass Toe Cap

Fiberglass Toe Cap is virtually free of metal components, therefore you can move through security environment without any hassle. It is lighter when comparing to steel toe cap and will be more flexible. As a non-metal, it will not rust and will not transmit electricity. It can resist drop force of 200 joules as well.



Premium Quality Leather

By using high quality upper materials, it makes RHINO SHOE comfortable and durable. Every step in choosing the materials are being checked strictly before started producing it. By combining good materials with fully equipped manufacturing facilities incorporated with the latest shoe making technology, we can ensure that our safety shoes are durable and comfortable to be used in different working environment.



Oil Resistant

Oil Resistant feature is specially designed to protect the soles from damage caused by oil and other fuels. The special material used in the outsole enables you to move freely on your job without worrying that your shoes will deteriorate due to high exposure to hydrocarbons.



Chemical Resistant Outsole

The special material used in these safety shoes' outsoles can help to resist common acid and alkali. It enables you to work freely without worrying that your shoes will be corroded after walking on a place which is highly exposed to acid and alkali.



Anti-Slip Outsole

Anti-slip outsole will help to reduce slips, trips and falls. The shape and pattern of RHINO SHOE outsole were specially design to increase grip on wet or oily floors. Therefore with this specially design outsole, it can help to let users to walk freely and with better balance while moving.



Antistatic

The antistatic feature in safety shoes is designed to reduce the build up of excess static electricity by conducting body charge to the ground. This is essential to eliminate the risk posed by sparks igniting flammable substances or vapours.



Heat Resistant

The heat resistant of safety shoes will protect you for small period of time where you are exposed to direct heat that exceeds or meets certain temperature. RHINO SHOE with Nitrile Rubber outsole can withstand heat temperature up to 300°C.



Electrostatic Discharge (ESD)

ESD is the sudden flow of electricity between two electrical charged objects caused by contact, electrical short or dielectric breakdown. It can be caused by tribocharging or electrical induction. Therefore, ESD feature in safety shoes is important to protect sensitive equipment from damage and reduce the danger of ignition or explosion of hazardous materials caused by the build up and release of static electricity.



MAKE YOUR EVERY STEP SAFER

SAFETYWARE GROUP BERHAD 202001037668 (1393989-P)



MALAYSIA

SAFETYWARE SDN. BHD.

200301030551 (632971-x)

SAFETYWARE SOLUTIONS SDN. BHD.

198301004351 (99556-U)

SAFETYWARE EHS CONSULTANCY SDN. BHD.

201101036060 (954196-M)

KEYWAY DIGITAL LABS SDN. BHD.

202401033160 (1579008-U)

Penang Head Office

Plot 237, Lengkok Perindustrian Bukit Minyak 3, Bukit Minyak Industrial Estate, 14100 Simpang Ampat, Penang, Malaysia

Tel: +604-5023 882 (8 Lines)

Fax : +604-5081 882

Kuala Lumpur Office

No. 8, Jalan Delta U6/18, Taman Perindustrian Sunway Subang, Seksyen U6, 40150 Shah Alam, Selangor, Malaysia.

Tel: +603-6262 0882 (4 Lines)

Fax : +603-6270 0393

Melaka Office

No. 6A & 6A-1, Jalan IKS M 5, Taman IKS Merdeka, 75350 Batu Berendam, Melaka, Malaysia.

Tel: +606-336 3882 (2 Lines)

Fax : +606-337 5881

Johor Office

No.8 Jalan Ekoperniagaan 2/3, Taman Ekoperniagaan, 81100 Johor Bharu, Johor, Malaysia.

Tel: +607-511 4882

Fax : +607-562 8880

Pahang Office

A21, Lorong Balok Perdana 3/1, Taman Balok Perdana, 26080 Kuantan, Pahang, Malaysia.

Tel: +609-509 3882 (2 Lines)

Fax : +609-509 3880

Sabah Office

DBKK Unit, No.7, Lot 7, Lorong Bizhub 1, Sierra Bizhub Warehouse, Batu 13.5, Jalan Tuaran, 88450 Kota Kinabalu, Sabah, Malaysia.

Tel: +608-841 2982

Fax : +608-848 9282

Sarawak Office

Gr flr and 1st flr, Sublot 6, City Square Phase II, Section 64, KTLD, Jalan Pending, 93450 Kuching, Sarawak, Malaysia.

Tel: +608-226 6182

Fax : +608-226 6182



AUSTRALIA

SAFETYWARE AUSTRALIA PTE LTD

(ABN:1940065096)

5/21 Yiannis Court, Springvale, VIC 3171, Australia.

Tel: +61 3 9103 1428



SINGAPORE

SAFETYWARE (SG) PTE LTD

(201208598R)

10 Raeburn Park, #02-08, Singapore 088702.

Tel: +65 6744 0882/ +65 9819 3376



THAILAND

SAFETYWARE ALLIANCE CO., LTD.

(0115567040457)

34/9 Moo 13, Thepharath Rd., Bangpleeyai, Bangplee, Samutprakarn 10540 Bangkok, Thailand.

Tel: +66 02-066-4699

Fax: +66 02-066-4699

www.safetyware.com

info@safetyware.com