



***RHINO SHOE***  
**Safety Footwear**

MAKE EVERY STEP

**SAFER**

[www.rhinoshoe.com](http://www.rhinoshoe.com)  
[info@rhinoshoe.com](mailto:info@rhinoshoe.com)

**SAFETY SHOES & PVC BOOTS** PRODUCT CATALOGUE





# ABOUT RHINO SHOE

RHINO SHOE is a leading brand of safety footwear, manufactured by Safetyware Group in Malaysia. With over 20 years of experience in the occupational safety and health industry, Safetyware Group is dedicated to providing customers with quality and reliable safety footwear. The RHINO SHOE brand is trusted by tens of thousands of customers for its commitment to safety and comfort.

Designed with the user in mind, RHINO SHOE uses only the finest materials to produce its shoes. From carefully selected high-quality leather for the shoe upper to specially formulated outsoles made of NBR, PU, and PVC, RHINO SHOE offers durability, quality, and comfort in every pair. With a range of designs and combinations of shoe materials, RHINO SHOE has a solution for every work environment, from light-duty applications to heavy industrial usage, from ESD requirements in electronics and semiconductor industries to high heat resistance needed in the steel and metal industries.

RHINO SHOE is committed to meeting the highest standards for safety footwear. All products are tested and certified to national and international standards, including Malaysia DOSH-SIRIM Standard, Singapore SS513 Standard, European EN ISO 20345 Standard, and Australia AS/NZ Standard. With a production capacity of over 1 million pairs per year, Safetyware Group is the largest safety footwear manufacturer in Malaysia. Choose RHINO SHOE for quality, safety, and peace of mind.



## HERE'S OUR COMMITMENT TO ESG:

### ▪ Environmental (E):

- We adopt eco-friendly manufacturing processes, ensuring minimal waste and emissions.
- Our sustainable sourcing practices promote the responsible use of raw materials.
- We actively invest in renewable energy, thus reducing our carbon footprint and contributing to a cleaner future.

### ▪ Social (S):

- We engage in various community outreach programs, focusing on education, health, and well-being.
- Our inclusive work environment fosters diversity and equal opportunities for all employees.
- We provide extensive support to local communities through charitable donations and volunteer efforts.

### ▪ Governance (G):

- Our corporate governance framework emphasizes transparency, accountability, and ethics.
- We comply with all legal and regulatory requirements, building trust with our stakeholders.
- Our commitment to integrity is reflected in our open communication with clients, employees, and shareholders.

Safetyware Group is not just a leader in the field of Occupational Safety and Health but also a conscientious player in the global movement towards responsible and sustainable business. We have embedded a strong commitment to Environmental, Social, and Governance (ESG) principles within our organizational fabric. We are proud members of SEDEX (The Supplier Ethical Data Exchange), and our operations adhere rigorously to SMETA (Sedex Members Trade Audit) standards. This highly respected framework encompasses labor, health and safety, environmental practices, and business ethics.

# SIZE CHART

## ULTRANITE SERIES

|                |      |      |      |       |      |      |      |      |       |      |
|----------------|------|------|------|-------|------|------|------|------|-------|------|
| <b>UK SIZE</b> | 3    | 4    | 5    | 6     | 7    | 8    | 9    | 10   | 11    | 12   |
| <b>US SIZE</b> | 4    | 5    | 6    | 7     | 8    | 9    | 10   | 11   | 12    | 13   |
| <b>EU SIZE</b> | 36   | 37   | 38   | 39/40 | 41   | 42   | 43   | 44   | 45/46 | 47   |
| <b>CM</b>      | 23.6 | 24.5 | 25.2 | 26.1  | 26.8 | 27.7 | 28.4 | 29.4 | 30.2  | 31.2 |

\*\* Foot Length \*\*

## WELLINGTON BOOTS

|                |      |      |      |      |      |      |      |    |      |      |    |      |      |
|----------------|------|------|------|------|------|------|------|----|------|------|----|------|------|
| <b>EU SIZE</b> | 36   | 37   | 38   | 39   | 40   | 41   | 42   | 43 | 44   | 45   | 46 | 47   | 48   |
| <b>UK SIZE</b> | 3    | 4    | 5    | 6    | 6.5  | 7    | 8    | 9  | 10   | 10.5 | 11 | 12   | 13   |
| <b>US SIZE</b> | 4    | 5    | 6    | 7    | 7.5  | 8    | 9    | 10 | 11   | 11.5 | 12 | 13   | 14   |
| <b>CM</b>      | 24.5 | 25.2 | 25.8 | 26.5 | 27.1 | 27.7 | 28.4 | 29 | 29.7 | 30.4 | 31 | 31.7 | 32.3 |

\*\* Foot Length \*\*

## PU SAFETY SHOES

|                |      |      |    |      |      |     |      |      |    |      |      |      |      |    |
|----------------|------|------|----|------|------|-----|------|------|----|------|------|------|------|----|
| <b>EU SIZE</b> | 35   | 36   | 37 | 38   | 39   | 40  | 41   | 42   | 43 | 44   | 45   | 46   | 47   | 48 |
| <b>UK SIZE</b> | 2    | 3    | 4  | 5    | 6    | 6.5 | 7    | 8    | 9  | 10   | 10.5 | 11   | 12   | 13 |
| <b>US SIZE</b> | 3    | 4    | 5  | 6    | 7    | 7.5 | 8    | 9    | 10 | 11   | 11.5 | 12   | 13   | 14 |
| <b>CM</b>      | 23.7 | 24.4 | 25 | 25.7 | 26.3 | 27  | 27.7 | 28.3 | 29 | 29.6 | 30.3 | 30.9 | 31.6 | 32 |

\*\* Foot Length \*\*

# VALUEMAX

# WELLINGTON BOOTS

## VALUEMAX SERIES



### VALUEMAX OB

|                  |                   |
|------------------|-------------------|
| Item Code        | : WB300-OB        |
| Body Material    | : PVC (Eco Grade) |
| Outsole Material | : PVC (Eco Grade) |
| Toe Cap          | : No              |
| Steel Plate      | : No              |
| Antistatic       | : No              |
| Size Available   | : 36 - 48 (EU)    |
| Height           | : 380 ± 20 mm     |
| Weight           | : 1.40 - 2.16 kg  |



Anti-Slip  
Outsole



Water  
Proof



Energy Absorbing  
Seat Region



### VALUEMAX SBP

|                  |                   |
|------------------|-------------------|
| Item Code        | : WB300-SBP       |
| Body Material    | : PVC (Eco Grade) |
| Outsole Material | : PVC (Eco Grade) |
| Toe Cap          | : Yes             |
| Steel Plate      | : Yes             |
| Antistatic       | : No              |
| Size Available   | : 36 - 48 (EU)    |
| Height           | : 380 ± 20 mm     |
| Weight           | : 1.40 - 2.16 kg  |



Anti-Slip  
Outsole



Water  
Proof



Energy Absorbing  
Seat Region



Wide Profile  
Safety Toe Cap

# AQUAMAX

Item Code : WB400-04  
Body Material : PVC (Premium Grade)  
Outsole Material : PVC (Premium Grade)  
Toe Cap : No  
Steel Plate : No  
Antistatic : Yes  
Size Available : 36 - 48 (EU)  
Height : 380 ± 20 mm  
Weight : 1.58 - 2.39 kg  
Safety Standard : EN ISO 20347:2022 04  
SIRIM MS ISO 20347:2008 04



**AQUAMAX 04**

**AQUAMAX SERIES**

## COLOUR VARIATION



Chemical  
Resistant



Anti-Slip  
Outsole



Oil  
Resistant



Antistatic



Energy Absorbing  
Seat Region



Water  
Proof



# ULTRAMAX

## ULTRAMAX SERIES



## COLOUR VARIATION



ULTRAMAX S4

ULTRAMAX S5

### ULTRAMAX S4

|                  |   |
|------------------|---|
| Item Code        | : WB500-S4  |
| Body Material    | : PVC (Premium Grade)                                   |
| Outsole Material | : PVC + Nitrile Blend (Premium Grade)                   |
| Toe Cap          | : Yes   |
| Steel Plate      | : No  |
| Antistatic       | : Yes   |
| Size Available   | : 36 - 48 (EU)  |
| Height           | : 380 ± 20 mm   |
| Weight           | : 1.72 - 2.67 kg  |
| Safety Standard  | : EN ISO 20345:2022 S4 FO<br>SIRIM MS ISO 20345:2008 S4 |

### ULTRAMAX S5

|                  |   |
|------------------|---|
| Item Code        | : WB500-S5  |
| Body Material    | : PVC (Premium Grade)                                   |
| Outsole Material | : PVC + Nitrile Blend (Premium Grade)                   |
| Toe Cap          | : Yes   |
| Steel Plate      | : Yes   |
| Antistatic       | : Yes   |
| Size Available   | : 36 - 48 (EU)  |
| Height           | : 380 ± 20 mm   |
| Weight           | : 1.72 - 2.67 kg  |
| Safety Standard  | : EN ISO 20345:2022 S5 FO<br>SIRIM MS ISO 20345:2008 S5 |



Anti-Slip  
Outsole



Water  
Proof



Chemical  
Resistant



Wide Profile  
Safety Toe Cap



Steel  
Plate  
Midsole



Oil  
Resistant



Energy Absorbing  
Seat Region



Antistatic



DIRECT VULCANISED  
TECHNOLOGY (DVT)

# ULTRANITE SERIES

DESIGNED FOR MAXIMUM

PROTECTION AND DURABILITY



Fibreglass  
Toe Cap



Anti-Penetration  
Fabric Midsole



Premium Quality  
Full Grain  
(Buffalo Leather  
Upper)



Oil Resistant



Chemical  
Resistant Outsole  
(Common Acids  
and Alkalis)



Heat Resistant  
(Up to 300°C)



Wide Profile Safety  
Toe Cap for better  
fit & comfort



Antistatic



Anti-Slip Outsole



SIRIM  
SIRIM & DOSH  
Certified



CE Certified



SETSCO  
Singapore  
Standard

# SAFETYSHOES

# ULTRANITE



## UN101SP

- Style** : Low Cut, Lace-Up
- Color** : Black
- Upper Material** : Full Grain Buffalo Leather with Barton Print
- Outsole Material** : Direct Vulcanized Nitrile Rubber
- Toe Cap** : Fibreglass Toe Cap
- Midsole** : Anti-Penetration Fabric
- Antistatic** : Yes
- Sizes Available** : 3 – 12 (UK)
- Safety Standard** :
  - EN ISO 20345:2012 S1P HRO SRC
  - SIRIM MS ISO 20345:2008 SBP HRO (DOSH approval No. = JKPP SS 134/19)
  - SS 513-1: 2013 S1P HRO SRC

## ULTRANITE SERIES

- Style** : Low Cut, Slip-On
- Color** : Black
- Upper Material** : Full Grain Buffalo Leather with Barton Print
- Outsole Material** : Direct Vulcanized Nitrile Rubber
- Toe Cap** : Fibreglass Toe Cap
- Midsole** : Anti-Penetration Fabric
- Antistatic** : Yes
- Sizes Available** : 3 – 12 (UK)
- Safety Standard** :
  - EN ISO 20345:2012 S1P HRO SRC
  - SIRIM MS ISO 20345:2008 SBP HRO (DOSH approval No. = JKPP SS 135/19)
  - SS 513-1: 2013 S1P HRO SRC

## UN102SP



## UN201SP

- Style** : Mid Cut, Lace-Up
- Color** : Black
- Upper Material** : Full Grain Buffalo Leather with Barton Print
- Outsole Material** : Direct Vulcanized Nitrile Rubber
- Toe Cap** : Fibreglass Toe Cap
- Midsole** : Anti-Penetration Fabric
- Antistatic** : Yes
- Sizes Available** : 3 – 12 (UK)
- Safety Standard** :
  - EN ISO 20345:2012 S1P HRO SRC
  - SIRIM MS ISO 20345:2008 SBP HRO (DOSH approval No. = JKPP SS 136/19)
  - SS 513-1: 2013 S1P HRO SRC

# ULTRANITE



## UN203SP

- Style** : Mid Cut, Zip-Up
- Color** : Black
- Upper Material** : Full Grain Buffalo Leather with Barton Print
- Outsole Material** : Direct Vulcanized Nitrile Rubber
- Toe Cap** : Fibreglass Toe Cap
- Midsole** : Anti-Penetration Fabric
- Antistatic** : Yes
- Sizes Available** : 3 – 12 (UK)
- Safety Standard** :
  - EN ISO 20345:2012 S3 HRO SRC
  - SIRIM MS ISO 20345:2008 SBP HRO (DOSH approval No. = JKPP SS 137/19)
  - SS 513-1: 2013 S3 HRO SRC

- Style** : High Cut, Pull-Up
- Color** : Brown/Black
- Upper Material** : Full Grain Buffalo Leather with Booty Print
- Outsole Material** : Direct Vulcanized Nitrile Rubber
- Toe Cap** : Fibreglass Toe Cap
- Midsole** : Anti-Penetration Fabric
- Antistatic** : Yes
- Sizes Available** : 3 – 12 (UK)
- Safety Standard** :
  - EN ISO 20345:2012 S3 HRO SRC
  - SIRIM MS ISO 20345:2008 SBP HRO (DOSH approval No. = JKPP SS 138/19, JKPP SS 139/19)
  - SS 513-1: 2013 S3 HRO SRC



## UN302SP



ULTRANITE SERIES



## RHINO SHOE MATERIAL TECHNOLOGY



# HIGH QUALITY PU OUTSOLE SAFETY SHOES

Designed for Comfort, Built for Safety



**Direct Injection**



Antistatic



Abrasion-Resistant



Lightweight



Oil Resistance



Non-Marking



Slip-Resistant

# SAFEGUARD



## PU101SP

**Style** : Low Cut, Lace-Up  
**Color** : Black  
**Upper Material** : Full Grain Leather with Barton Print  
**Outsole Material** : Single Density PU  
**Toe Cap** : Steel Toe Cap  
**Midsole** : Steel Plate  
**Antistatic** : Yes  
**Sizes Available** : 35 - 48 (EU)  
02 - 13 (UK)  
**Safety Standard** : • EN ISO 20345:2022 S3 SR FO  
• SIRIM MS ISO 20345:2008 S3 SRC

**Style** : Mid Cut, Lace-Up  
**Color** : Black  
**Upper Material** : Full Grain Leather with Barton Print  
**Outsole Material** : Single Density PU  
**Toe Cap** : Steel Toe Cap  
**Midsole** : Steel Plate  
**Antistatic** : Yes  
**Sizes Available** : 35 - 48 (EU)  
02 - 13 (UK)  
**Safety Standard** : • EN ISO 20345:2022 S3 SR FO  
• SIRIM MS ISO 20345:2008 S3 SRC

## PU201SP



PU SAFETY SHOE



## UN302SP-SD-BLK

**Style** : High Cut, Pull-Up  
**Color** : Black  
**Upper Material** : Full Grain Buffalo Leather with Booty Print  
**Outsole Material** : Single Density PU  
**Toe Cap** : Steel Toe Cap  
**Midsole** : Steel Plate  
**Antistatic** : Yes  
**Sizes Available** : 35 - 48 (EU)  
02 - 13 (UK)  
**Safety Standard** : • EN ISO 20345:2022 S3 SR FO  
• SIRIM MS ISO 20345:2008 S3 SRC

# FLEXIGUARD



## ES101KP



- Style** : Low Cut, Lace-Up
- Color** : Black
- Upper Material** : Full Grain Leather with Booty Print
- Outsole Material** : Double Density PU/PU
- Toe Cap** : Fibreglass Toe Cap
- Midsole** : Anti-Penetration Fabric
- ESD** : Yes
- Sizes Available** : 35 - 48 (EU)  
02 - 13 (UK)
- Safety Standard** : ▪ EN ISO 20345:2022 S3S SR FO  
▪ SIRIM MS ISO 20345:2008 S3 ESD SRC

## PU SAFETY SHOE

- Style** : Low Cut, Slip-On
- Color** : Black
- Upper Material** : Full Grain Leather with Booty Print
- Outsole Material** : Double Density PU/PU
- Toe Cap** : Fibreglass Toe Cap
- Midsole** : Anti-Penetration Fabric
- ESD** : Yes
- Sizes Available** : 35 - 48 (EU)  
02 - 13 (UK)
- Safety Standard** : ▪ EN ISO 20345:2022 S3S SR FO  
▪ SIRIM MS ISO 20345:2008 S3 ESD SRC

## ES102KP



## IV102KP



- Style** : Low Cut, Slip-On
- Color** : White
- Upper Material** : Washable Microfibre
- Outsole Material** : Double Density PU/PU
- Toe Cap** : Fibreglass Toe Cap
- Midsole** : Anti-Penetration Fabric
- ESD** : Yes
- Sizes Available** : 35 - 48 (EU)  
02 - 13 (UK)
- Safety Standard** : ▪ EN ISO 20345:2022 S3S SR FO  
▪ SIRIM MS ISO 20345:2008 S3 ESD SRC

# PRIMEGUARD



## CH101KP



**Style** : Low Cut, Lace-Up  
**Color** : Brown  
**Upper Material** : Premium Buffalo Crazy Horse Leather  
**Outsole Material** : Double Density PU/PU  
**Toe Cap** : Fibreglass Toe Cap  
**Midsole** : Anti-Penetration Fabric  
**ESD** : Yes  
**Sizes Available** : 35 - 48 (EU)  
02 - 13 (UK)  
**Safety Standard** : • EN ISO 20345:2022 S3S SR FO  
• SIRIM MS ISO 20345:2008 S3S ESD SRC



Specially Formulated  
PU/Rubber Sole

## CH111KP



**Style** : Low Cut, Lace-Up  
**Color** : Brown  
**Upper Material** : Premium Buffalo Crazy Horse Leather  
**Outsole Material** : Double Density PU/Rubber  
**Toe Cap** : Fibreglass Toe Cap  
**Midsole** : Anti-Penetration Fabric  
**ESD** : Yes  
**Sizes Available** : 35 - 48 (EU)  
02 - 13 (UK)  
**Safety Standard** : • EN ISO 20345:2022 S3S SR FO  
• SIRIM MS ISO 20345:2008 S3S ESD SRC

PU SAFETY SHOE



Specially Formulated  
PU/Rubber Sole

## CH211KP



**Style** : Mid Cut, Lace-Up  
**Color** : Brown  
**Upper Material** : Premium Buffalo Crazy Horse Leather  
**Outsole Material** : Double Density PU/Rubber  
**Toe Cap** : Fibreglass Toe Cap  
**Midsole** : Anti-Penetration Fabric  
**ESD** : Yes  
**Sizes Available** : 35 - 48 (EU)  
02 - 13 (UK)  
**Safety Standard** : • EN ISO 20345:2022 S3S SR FO  
• SIRIM MS ISO 20345:2008 S3S ESD SRC

# PRIMEGUARD



**Specially Formulated  
PU/Rubber Sole**

## CH302KP



Metal Free

**Style** : High Cut, Pull-Up  
**Color** : Brown  
**Upper Material** : Premium Buffalo Crazy Horse Leather  
**Outsole Material** : Double Density PU/Rubber  
**Toe Cap** : Fibreglass Toe Cap  
**Midsole** : Anti-Penetration Fabric  
**Antistatic** : Yes  
**Sizes Available** : 35 - 48 (EU)  
 02 - 13 (UK)  
**Safety Standard** : • EN ISO 20345:2022 S3S SR FO  
 • SIRIM MS ISO 20345:2008 S3S ESD SRC

PU SAFETY SHOE

**Style** : Low Cut, Lace-Up  
**Color** : Black  
**Upper Material** : Premium Buffalo Crazy Horse Leather  
**Outsole Material** : Double Density PU/PU  
**Toe Cap** : Fibreglass Toe Cap  
**Midsole** : Anti-Penetration Fabric  
**Insulating** : Yes  
**Sizes Available** : 35 - 48 (EU)  
 02 - 13 (UK)  
**Safety Standard** : • EN ISO 20345:2022 SB E WPA PS SR FO  
 • SIRIM MS ISO 20345:2008 SBP E WRU FO SRC

# VOLTGUARD

## EH101KP

ELECTRICAL SHOCK  
RESISTANT (ESR)  
**18kV**  
PROTECTION



## ACCESSORIES

Front Back



PUINSOCK

| Art No.   | Description                             | Size   | Unit |
|-----------|---|--|------|
| PU-INSOCK | Rhino Shoe Soft & Comfortable PU Insock | S (S5 - S6)<br>M (S7 - S8)<br>L (S9 - S10)<br>XL (S11 - S12) | Pair |



Extra Comfort

• Remains spongy and last longer  
 • Special ergonomically design to provide maximum support for arch and heel



• Superior shock absorption properties which significantly reduces stress of impact on the heel

## PU INSOCK

- Offers superior comfort and reduce leg fatigue.
- These full length polyurethane insock helps to distribute the weight of your body evenly over your feet.
- Provide arch support and flexibility for added comfort and relieve sore, tired, burning, aching feet.
- Reduce ankle, leg and lower back pain.
- Sweat-absorbent and breathable.
- High-rebound performance.
- Support your foot to provide extra cushioning.



SOCKS-RHINO

## RHINO SOCKS

- Made with Cotton + Spandex Material for better comfort and durability.
- Free Size



#### Penetration Resistant Insert

In order to have extra protection, midsole is added in some of the safety shoes to reduce the risk of sharp objects penetrating through the sole. RHINO SHOE have two different types of midsole which are Steel Plate and Anti-Penetration Fabric Midsole. These midsoles will be used in most of the industrial or construction workplace as penetration resistant feature is highly regarded.



#### Electrical Hazard

Electrical Hazard safety shoes are designed to provide crucial protection for workers in environments where they may be exposed to electrical hazards. These specialized footwear are equipped with non-conductive materials that prevent the flow of electric current through the shoe, reducing the risk of electric shock. By acting as a barrier against electrical currents, these safety shoes help safeguard workers and ensure their safety in potentially hazardous electrical work settings.



#### Steel Toe Cap

Toe Cap is used to protect our toes from the falling of heavy objects. It is one of the important feature in every kind of safety shoes. Steel Toe Cap offers premium protection for your toes. It can resist drop force of 200 joules and is suitable to use in wide range of industrial, construction and all general purpose workplace.



#### Fibreglass Toe Cap

Fibreglass Toe Cap is virtually free of metal components, therefore you can move through security environment without any hassle. It is lighter when comparing to steel toe cap and will be more flexible. As a non-metal, it will not rust and will not transmit electricity. It can resist drop force of 200 joules as well.



#### Premium Quality Leather

By using high quality upper materials, it makes RHINO SHOE comfortable and durable. Every step in choosing the materials are being checked strictly before started producing it. By combining good materials with fully equipped manufacturing facilities incorporated with the latest shoe making technology, we can ensure that our safety shoes are durable and comfortable to be used in different working environment.



#### Oil Resistant

Oil Resistant feature is specially designed to protect the soles from damaged caused by oil and other fuels. The special material used in the outsole enables you to move freely on your job without worrying that your shoes will deteriorate due to high exposure to hydrocarbons.



#### Chemical Resistant Outsole

The special material used in these safety shoes' outsoles can help to resist common acid and alkali. It enables you to work freely without worrying that your shoes will be corroded after walking on a place which is highly exposed to acid and alkali.



#### Anti-Slip Outsole

Anti-slip outsole will help to reduce slips, trips and falls. The shape and pattern of RHINO SHOE outsole were specially design to increase grip on wet or oily floors. Therefore with this specially design outsole, it can help to let users to walk freely and with better balance while moving.



#### Antistatic

The antistatic feature in safety shoes is designed to reduce the build up of excess static electricity by conducting body charge to the ground. This is essential to eliminate the risk posed by sparks igniting flammable substances or vapours.



#### Heat Resistant

The heat resistant of safety shoes will protect you for small period of time where you are exposed to direct heat that exceeds or meets certain temperature. RHINO SHOE with Nitrile Rubber outsole can withstand heat temperature up to 300°C.



#### Electrostatic Discharge (ESD)

ESD is the sudden flow of electricity between two electrical charged objects caused by contact, electrical short or dielectric breakdown. It can be caused by tribocharging or electrical induction. Therefore, ESD feature in safety shoes is important to protect sensitive equipment from damage and reduce the danger of ignition or explosion of hazardous materials caused by the build up and release of static electricity.



# MAKE EVERY STEP SAFER

## SAFETYWARE GROUP BERHAD 202001037668 (1393989-P)



**MALAYSIA**

**SAFETYWARE SDN. BHD.**

200301030551 (632971-x)

**SAFETYWARE SOLUTIONS SDN. BHD.**

198301004351 (99556-U)

**SAFETYWARE EHS CONSULTANCY SDN. BHD.**

201101036060 (954196-M)

**KEYWAY DIGITAL LABS SDN. BHD.**

202401033160 (1579008-U)

*Penang Head Office*

Plot 237, Lengkok Perindustrian Bukit Minyak 3, Bukit Minyak Industrial Estate, 14100 Simpang Ampat, Penang, Malaysia

**Tel: +604-5023 882 (8 Lines)**

**Fax : +604-5081 882**

*Kuala Lumpur Office*

No. 8, Jalan Delta U6/18, Taman Perindustrian Sunway Subang, Seksyen U6, 40150 Shah Alam, Selangor, Malaysia.

**Tel: +603-6262 0882 (4 Lines)**

**Fax : +603-6270 0393**

*Melaka Office*

No. 6A & 6A-1, Jalan IKS M 5, Taman IKS Merdeka, 75350 Batu Berendam, Melaka, Malaysia.

**Tel: +606-336 3882 (2 Lines)**

**Fax : +606-337 5881**

*Johor Office*

No.8 Jalan Ekoperniagaan 2/3, Taman Ekoperniagaan, 81100 Johor Bharu, Johor, Malaysia.

**Tel: +607-511 4882**

**Fax : +607-562 8880**

*Pahang Office*

A21, Lorong Balok Perdana 3/1, Taman Balok Perdana, 26080 Kuantan, Pahang, Malaysia.

**Tel: +609-509 3882 (2 Lines)**

**Fax : +609-509 3880**

*Sabah Office*

DBKK Unit, No.7, Lot 7, Lorong Bizhub 1, Sierra Bizhub Warehouse, Batu 13.5, Jalan Tuaran, 88450 Kota Kinabalu, Sabah, Malaysia.

**Tel: +608-841 2982**

**Fax : +608-848 9282**

*Sarawak Office*

Gr flr and 1st flr, Sublot 6, City Square Phase II, Section 64, KTLD, Jalan Pending, 93450 Kuching, Sarawak, Malaysia.

**Tel: +608-226 6182**

**Fax : +608-226 6182**



**AUSTRALIA**

**SAFETYWARE AUSTRALIA PTE LTD**

(ABN:1940065096)

5/21 Yiannis Court, Springvale, VIC 3171, Australia.

**Tel: +61 3 9103 1428**



**SINGAPORE**

**SAFETYWARE (SG) PTE LTD**

(201208598R)

10 Raeburn Park, #02-08, Singapore 088702.

**Tel: +65 6744 0882/ +65 9819 3376**



**THAILAND**

**SAFETYWARE ALLIANCE CO., LTD.**

(0115567040457)

34/9 Moo 13, Thepharath Rd., Bangpleeyai, Bangplee, Samutprakarn 10540 Bangkok, Thailand.

**Tel: +66 02-066-4699**

**Fax: +66 02-066-4699**

[www.safetyware.com](http://www.safetyware.com)

[info@safetyware.com](mailto:info@safetyware.com)

[www.rhinoshoe.com](http://www.rhinoshoe.com) | [info@rhinoshoe.com](mailto:info@rhinoshoe.com)