RHINO SHOE

Safety Footwear

SAFETY SHOES & PVC BOOTS PRODUCT CATALOGUE

MAKE EVERY STEP

SAFER

www.rhinoshoe.com
info@rhinoshoe.com

RHINO SHOE® Safety Footwear

ABOUT RHINO SHOE

RHINO SHOE is a leading brand of safety footwear, manufactured by Safetyware Group in Malaysia. With over 20 years of experience in the occupational safety and health industry, Safetyware Group is dedicated to providing customers with quality and reliable safety footwear. The RHINO SHOE brand is trusted by tens of thousands of customers for its commitment to safety and comfort.

Designed with the user in mind, RHINO SHOE uses only the finest materials to produce its shoes. From carefully selected high-quality leather for the shoe upper to specially formulated outsoles made of NBR, PU, and PVC, RHINO SHOE offers durability, quality, and comfort in every pair. With a range of designs and combinations of shoe materials, RHINO SHOE has a solution for every work environment, from light-duty applications to heavy industrial usage, from ESD requirements in electronics and semiconductor industries to high heat resistance needed in the steel and metal industries.

RHINO SHOE is committed to meeting the highest standards for safety footwear. All products are tested and certified to national and international standards, including Malaysia DOSH-SIRIM Standard, Singapore SS513 Standard, European EN ISO 20345 Standard, and Australia AS/NZ Standard. With a production capacity of over 1 million pairs per year, Safetyware Group is the largest safety footwear manufacturer in Malaysia. Choose RHINO SHOE for quality, safety, and peace of mind.



HERE'S OUR COMMITMENT TO ESG:

Environmental (E):

- We adopt eco-friendly manufacturing processes, ensuring minimal waste and emissions.
- Our sustainable sourcing practices promote the responsible use of raw materials.
- We actively invest in renewable energy, thus reducing our carbon footprint and contributing to a cleaner future.

Social (S):

- We engage in various community outreach programs, focusing on education, health, and well-being.
- Our inclusive work environment fosters diversity and equal opportunities for all employees.
- We provide extensive support to local communities through charitable donations and volunteer efforts.

Governance (G):

- Our corporate governance framework emphasizes transparency, accountability, and ethics.
- We comply with all legal and regulatory requirements, building trust with our stakeholders.
- Our commitment to integrity is reflected in our open communication with clients, employees, and shareholders.

Safetyware Group is not just a leader in the field of Occupational Safety and Health but also a conscientious player in the global movement towards responsible and sustainable business. We have embedded a strong commitment to Environmental, Social, and Governance (ESG) principles within our organizational fabric. We are proud members of SEDEX (The Supplier Ethical Data Exchange), and our operations adhere rigorously to SMETA (Sedex Members Trade Audit) standards. This highly respected framework encompasses labor, health and safety, environmental practices, and business ethics.

info@rhinoshoe.com www.rhinoshoe.com

SIZE CHART

ULTRANITE SERIES

UK SIZE	3	4	5	6	7	8	9	10	11	12
US SIZE	4	5	6	7	8	9	10	11	12	13
EU SIZE	36	37	38	39/40	41	42	43	44	45/46	47
CM	23.6	24.5	25.2	26.1	26.8	27.7	28.4	29.4	30.2	31.2

*** Foot Length ***

WELLINGTON BOOTS

EU SIZE	36	37	38	39	40	41	42	43	44	45	46	47	48
UK SIZE	3	4	5	6	6.5	7	8	9	10	10.5	11	12	13
US SIZE	4	5	6	7	7.5	8	9	10	11	11.5	12	13	14
CM	24.5	25.2	25.8	26.5	27.1	27.7	28.4	29	29.7	30.4	31	31.7	32.3

*** Foot Length ***

PU SAFETY SHOES

EU SIZE	35	36	37	38	39	40	41	42	43	44	45	46	47	48
UK SIZE	2	3	4	5	6	6.5	7	8	9	10	10.5	11	12	13
US SIZE	3	4	5	6	7	7.5	8	9	10	11	11.5	12	13	14
CM	23.7	24.4	25	25.7	26.3	27	27.7	28.3	29	29.6	30.3	30.9	31.6	32

*** Foot Length ***

VALUEMAX

WELLINGTON BOOTS

VALUEMAX SERIES



VALUEMAX OB

Item Code	: WB300-OB
Body Material	: PVC (Eco Grade)
Outsole Material	: PVC (Eco Grade)
Steel Toe Cap	: No
Steel Plate	: No
Antistatic	: No
Size Available	: 36 - 48 (EU)
Height	: 380 ± 20 mm
Weight	: 1.40 - 2.16 kg

Anti-Slip Outsole

Water Proof

Energy Absorbing Seat Region



VALUEMAX SBP

Item Code	: WB300-SBP
Body Material	: PVC (Eco Grade)
Outsole Material	: PVC (Eco Grade)
Steel Toe Cap	: Yes
Steel Plate	: Yes
Antistatic	: No
Size Available	: 36 - 48 (EU)
Height	: 380 ± 20 mm
Weight	: 1.40 - 2.16 kg

Anti-Slip Outsole

Water Proof

Energy Absorbing Seat Region

Wide Profile Safety Toe Cap

info@rhinoshoe.com www.rhinoshoe.com

AQUAMAX

Item Code	: WB400-O4
Body Material	: PVC (Premium Grade)
Outsole Material	: PVC (Premium Grade)
Steel Toe Cap	: No
Steel Plate	: No
Antistatic	: Yes
Size Available	: 36 - 48 (EU)
Height	: 380 ± 20 mm
Weight	: 1.58 - 2.39 kg



AQUAMAX O4

AQUAMAX SERIES

COLOUR VARIATION





- Chemical Resistant
- Anti-Slip Outsole
- Oil Resistant
- Antistatic
- Energy Absorbing Seat Region
- Water Proof

ULTRAMAX

ULTRAMAX SERIES



COLOUR VARIATION



ULTRAMAX S4 ULTRAMAX S5

ULTRAMAX S4

Item Code	: WB500-S4
Body Material	: PVC (Premium Grade)
Outsole Material	: PVC + Nitrile Blend (Premium Grade)
Steel Toe Cap	: Yes
Steel Plate	: No
Antistatic	: Yes
Size Available	: 36 - 48 (EU)
Height	: 380 ± 20 mm
Weight	: 1.72 - 2.67 kg

ULTRAMAX S5

Item Code	: WB500-S5
Body Material	: PVC (Premium Grade)
Outsole Material	: PVC + Nitrile Blend (Premium Grade)
Steel Toe Cap	: Yes
Steel Plate	: Yes
Antistatic	: Yes
Size Available	: 36 - 48 (EU)
Height	: 380 ± 20 mm
Weight	: 1.72 - 2.67 kg

Anti-Slip Outsole

Water Proof

Chemical Resistant

Wide Profile Safety Toe Cap

Steel Plate Midsole

Oil Resistant

Energy Absorbing Seat Region

Antistatic

info@rhinoshoe.com www.rhinoshoe.com

RHINO SHOE®
Safety Footwear

DVT
DIRECT VULCANISED TECHNOLOGY (DVT)

ULTRANITE SERIES

DESIGNED FOR MAXIMUM PROTECTION AND DURABILITY

6MONTHS WARRANTY

- Fibreglass Toe Cap
- Anti-Penetration Fabric Midsole
- Premium Quality Full Grain (Buffalo Leather Upper)
- Oil Resistant
- Chemical Resistant Outsole (Common Acids and Alkalis)
- Heat Resistant (Up to 300°C)
- Wide Profile Safety Toe Cap for better fit & comfort
- Antistatic
- Anti-Slip Outsole

SIRIM & DOSH Certified

CE Certified

Singapore Standard

SAFETYSHOES

ULTRANITE

ULTRANITE SERIES



UN101SP

Style : Low Cut, Lace-Up
Color : Black
Upper Material : Full Grain Buffalo Leather with Barton Print
Outsole Material : Direct Vulcanized Nitrile Rubber
Toe Cap : Fibreglass Toe Cap
Midsole : Anti-Penetration Fabric
Antistatic : Yes
Sizes Available : 3 – 12 (UK)
Safety Standard :
- EN ISO 20345:2012 S1P HRO SRC
- SIRIM MS ISO 20345:2008 SBP HRO (DOSH approval No. = JKKP SS 134/19)
- SS 513-1: 2013 S1P HRO SRC

UN102SP

Style : Low Cut, Slip-On
Color : Black
Upper Material : Full Grain Buffalo Leather with Barton Print
Outsole Material : Direct Vulcanized Nitrile Rubber
Toe Cap : Fibreglass Toe Cap
Midsole : Anti-Penetration Fabric
Antistatic : Yes
Sizes Available : 3 – 12 (UK)
Safety Standard :
- EN ISO 20345:2012 S1P HRO SRC
- SIRIM MS ISO 20345:2008 SBP HRO (DOSH approval No. = JKKP SS 135/19)
- SS 513-1: 2013 S1P HRO SRC





UN201SP

Style : Mid Cut, Lace-Up
Color : Black
Upper Material : Full Grain Buffalo Leather with Barton Print
Outsole Material : Direct Vulcanized Nitrile Rubber
Toe Cap : Fibreglass Toe Cap
Midsole : Anti-Penetration Fabric
Antistatic : Yes
Sizes Available : 3 – 12 (UK)
Safety Standard :
- EN ISO 20345:2012 S1P HRO SRC
- SIRIM MS ISO 20345:2008 SBP HRO (DOSH approval No. = JKKP SS 136/19)
- SS 513-1: 2013 S1P HRO SRC

info@rhinoshoe.com www.rhinoshoe.com

ULTRANITE



UN203SP

Style : Mid Cut, Zip-Up
Color : Black
Upper Material : Full Grain Buffalo Leather with Barton Print
Outsole Material : Direct Vulcanized Nitrile Rubber
Toe Cap : Fibreglass Toe Cap
Midsole : Anti-Penetration Fabric
Antistatic : Yes
Sizes Available : 3 – 12 (UK)
Safety Standard :
- EN ISO 20345:2012 S3 HRO SRC
- SIRIM MS ISO 20345:2008 SBP HRO (DOSH approval No. = JKKP SS 137/19)
- SS 513-1: 2013 S3 HRO SRC

ULTRANITE SERIES

UN302SP



Style : High Cut, Pull-Up
Color : Brown/Black
Upper Material : Full Grain Buffalo Leather with Booty Print
Outsole Material : Direct Vulcanized Nitrile Rubber
Toe Cap : Fibreglass Toe Cap
Midsole : Anti-Penetration Fabric
Antistatic : Yes
Sizes Available : 3 – 12 (UK)
Safety Standard :
- EN ISO 20345:2012 S3 HRO SRC
- SIRIM MS ISO 20345:2008 SBP HRO (DOSH approval No. = JKKP SS 138/19, JKKP SS 139/19)
- SS 513-1: 2013 S3 HRO SRC



RHINO SHOE MATERIAL TECHNOLOGY



info@rhinoshoe.com
www.rhinoshoe.com

SAFEGUARD



PU101SP

Style : Low Cut, Lace-Up
Color : Black
Upper Material : Full Grain Leather with Barton Print
Outsole Material : Single Density PU
Toe Cap : Steel Toe Cap
Midsole : Steel Plate
Antistatic : Yes
Sizes Available : 35 - 48 (EU)
02 - 13 (UK)
Safety Standard : ▪ EN ISO 20345:2022 S3 SR FO
▪ SIRIM MS ISO 20345:2008 S3 SRC

PU SAFETY SHOE

PU201SP



Style : Mid Cut, Lace-Up
Color : Black
Upper Material : Full Grain Leather with Barton Print
Outsole Material : Single Density PU
Toe Cap : Steel Toe Cap
Midsole : Steel Plate
Antistatic : Yes
Sizes Available : 35 - 48 (EU)
02 - 13 (UK)
Safety Standard : ▪ EN ISO 20345:2022 S3 SR FO
▪ SIRIM MS ISO 20345:2008 S3 SRC



UN302SP-SD-BLK

Style : High Cut, Pull-Up
Color : Black
Upper Material : Full Grain Buffalo Leather with Booty Print
Outsole Material : Single Density PU
Toe Cap : Steel Toe Cap
Midsole : Steel Plate
Antistatic : Yes
Sizes Available : 35 - 48 (EU)
02 - 13 (UK)
Safety Standard : ▪ EN ISO 20345:2022 S3 SR FO
▪ SIRIM MS ISO 20345:2008 S3 SRC

FLEXIGUARD

PU SAFETY SHOE

ES101KP



Metal Free

ESD

Style : Low Cut, Lace-Up
Color : Black
Upper Material : Full Grain Leather with Booty Print
Outsole Material : Double Density PU/PU
Toe Cap : Fibreglass Toe Cap
Midsole : Anti-Penetration Fabric
ESD : Yes
Sizes Available : 35 - 48 (EU)
02 - 13 (UK)
Safety Standard : ▪ EN ISO 20345:2022 S3S SR FO
▪ SIRIM MS ISO 20345:2008 S3 ESD SRC

ES102KP

Metal Free

ESD

Style : Low Cut, Slip-On
Color : Black
Upper Material : Full Grain Leather with Booty Print
Outsole Material : Double Density PU/PU
Toe Cap : Fibreglass Toe Cap
Midsole : Anti-Penetration Fabric
ESD : Yes
Sizes Available : 35 - 48 (EU)
02 - 13 (UK)
Safety Standard : ▪ EN ISO 20345:2022 S3S SR FO
▪ SIRIM MS ISO 20345:2008 S3 ESD SRC



IV102KP



Metal Free

ESD

Style : Low Cut, Slip-On
Color : White
Upper Material : Washable Microfibre
Outsole Material : Double Density PU/PU
Toe Cap : Fibreglass Toe Cap
Midsole : Anti-Penetration Fabric
ESD : Yes
Sizes Available : 35 - 48 (EU)
02 - 13 (UK)
Safety Standard : ▪ EN ISO 20345:2022 S3S SR FO
▪ SIRIM MS ISO 20345:2008 S3 ESD SRC

info@rhinoshoe.com www.rhinoshoe.com

PRIMEGUARD

CH101KP



Metal Free

ESD

Style : Low Cut, Lace-Up
Color : Brown
Upper Material : Premium Buffalo Crazy Horse Leather
Outsole Material : Double Density PU/PU
Toe Cap : Fibreglass Toe Cap
Midsole : Anti-Penetration Fabric
ESD : Yes
Sizes Available : 35 - 48 (EU)
02 - 13 (UK)
Safety Standard : ▪ EN ISO 20345:2022 S3S SR FO
▪ SIRIM MS ISO 20345:2008 S3S ESD SRC

PU SAFETY SHOE

Specially Formulated
PU/Rubber Sole

CH111KP

ESD



Style : Low Cut, Lace-Up
Color : Brown
Upper Material : Premium Buffalo Crazy Horse Leather
Outsole Material : Double Density PU/Rubber
Toe Cap : Fibreglass Toe Cap
Midsole : Anti-Penetration Fabric
ESD : Yes
Sizes Available : 35 - 48 (EU)
02 - 13 (UK)
Safety Standard : ▪ EN ISO 20345:2022 S3S SR FO
▪ SIRIM MS ISO 20345:2008 S3S ESD SRC



Specially Formulated
PU/Rubber Sole

CH211KP

ESD

Style : Mid Cut, Lace-Up
Color : Brown
Upper Material : Premium Buffalo Crazy Horse Leather
Outsole Material : Double Density PU/Rubber
Toe Cap : Fibreglass Toe Cap
Midsole : Anti-Penetration Fabric
ESD : Yes
Sizes Available : 35 - 48 (EU)
02 - 13 (UK)
Safety Standard : ▪ EN ISO 20345:2022 S3S SR FO
▪ SIRIM MS ISO 20345:2008 S3S ESD SRC

PRIMEGUARD



Specially Formulated PU/Rubber Sole

CH302KP

Metal Free

Style : High Cut, Pull-Up
Color : Brown
Upper Material : Premium Buffalo Crazy Horse Leather
Outsole Material : Double Density PU/Rubber
Toe Cap : Fibreglass Toe Cap
Midsole : Anti-Penetration Fabric
Antistatic : Yes
Sizes Available : 35 - 48 (EU)
02 - 13 (UK)
Safety Standard : ▪ EN ISO 20345:2022 S3S SR FO
▪ SIRIM MS ISO 20345:2008 S3S ESD SRC

PU SAFETY SHOE

VOLTGUARD

Style : Low Cut, Lace-Up
Color : Black
Upper Material : Premium Buffalo Crazy Horse Leather
Outsole Material : Double Density PU/PU
Toe Cap : Fibreglass Toe Cap
Midsole : Anti-Penetration Fabric
Insulating : Yes
Sizes Available : 35 - 48 (EU)
02 - 13 (UK)
Safety Standard : ▪ EN ISO 20345:2022 SB E WPA PS SR FO
▪ SIRIM MS ISO 20345:2008 SBP E WRU FO SRC

EH101KP

ELECTRICAL SHOCK RESISTANT (ESR)
18kV
PROTECTION



ACCESSORIES




PUINSOCK

Art No.	Description	Size	Unit
PU-INSOCK	Rhino Shoe Soft & Comfortable PU Insock	S (S5 – S6) M (S7 – S8) L (S9 – S10) XL (S11 - S12)	Pair



Extra Comfort



PU INSOCK

- Offers superior comfort and reduce leg fatigue.
- These full length polyurethane insock helps to distribute the weight of your body evenly over your feet.
- Provide arch support and flexibility for added comfort and relieve sore, tired, burning, aching feet.
- Reduce ankle, leg and lower back pain.
- Sweat-absorbent and breathable.
- High-rebound performance.
- Support your foot to provide extra cushioning.



SOCKS-RHINO

RHINO SOCKS

- Made with Cotton + Spandex Material for better comfort and durability.
- Free Size

info@rhinoshoe.com
www.rhinoshoe.com



Penetration Resistant Insert

In order to have extra protection, midsole is added in some of the safety shoes to reduce the risk of sharp objects penetrating through the sole. RHINO SHOE have two different types of midsole which are Steel Plate and Anti-Penetration Fabric Midsole. These midsoles will be used in most of the industrial or construction workplace as penetration resistant feature is highly regarded.



Electrical Hazard

Electrical Hazard safety shoes are designed to provide crucial protection for workers in environments where they may be exposed to electrical hazards. These specialized footwear are equipped with non-conductive materials that prevent the flow of electric current through the shoe, reducing the risk of electric shock. By acting as a barrier against electrical currents, these safety shoes help safeguard workers and ensure their safety in potentially hazardous electrical work settings.



Steel Toe Cap

Toe Cap is used to protect our toes from the falling of heavy objects. It is one of the important feature in every kind of safety shoes. Steel Toe Cap offers premium protection for your toes. It can resist drop force of 200 joules and is suitable to use in wide range of industrial, construction and all general purpose workplace.



Fibreglass Toe Cap

Fibreglass Toe Cap is virtually free of metal components, therefore you can move through security environment without any hassle. It is lighther when comparing to steel toe cap and will be more flexible. As a non-metal, it will not rust and will not transmit electricity. It can resist drop force of 200 joules as well.



Premium Quality Leather

By using high quality upper materials, it makes RHINO SHOE comfortable and durable. Every step in choosing the materials are being checked strictly before started producing it. By combining good materials with fully equipped manufacturing facilities incorporated with the latest shoe making technology, we can ensure that our safety shoes are durable and comfortable to be used in different working environment.



Oil Resistant

Oil Resistant feature is specially designed to protect the soles from damaged caused by oil and other fuels. The special material used in the outsole enables you to move freely on your job without worrying that your shoes will deteriorate due to high exposure to hydrocarbons.



Chemical Resistant Outsole

The special material used in these safety shoes' outsoles can help to resist common acid and alkali. It enables you to work freely without worrying that your shoes will be corroded after walking on a place which is highly exposed to acid and alkali.



Anti-Slip Outsole

Anti-slip outsole will help to reduce slips, trips and falls. The shape and pattern of RHINO SHOE outsole were specially design to increase grip on wet or oily floors. Therefore with this specially design outsole, it can help to let users to walk freely and with better balance while moving.



Antistatic

The antistatic feature in safety shoes is designed to reduce the build up of excess static electricity by conducting body charge to the ground. This is essential to eliminate the risk posed by sparks igniting flammable substances or vapours.



Heat Resistant

The heat resistant of safety shoes will protect you for small period of time where you are exposed to direct heat that exceeds or meets certain temperature. RHINO SHOE with Nitrile Rubber outsole can withstand heat temperature up to 300°C.



Electrostatic Discharge (ESD)

ESD is the sudden flow of electricity between two electrical charged objects caused by contact, electrical short or dielectric breakdown. It can be caused by tribocharging or electrical induction. Therefore, ESD feature in safety shoes is important to protect sensitive equipment from damage and reduce the danger of ignition or explosion of hazardous materials caused by the build up and release of static electricity.

RHINO SHOE
Safety Footwear

MAKE EVERY STEP SAFER

SAFETYWARE GROUP BERHAD *202001037668 (1393989-P)*

MALAYSIA

SAFETYWARE SDN. BHD.
200301030551 (632971-x)

SAFETYWARE SOLUTIONS SDN. BHD.
198301004351 (99556-U)

SAFETYWARE EHS CONSULTANCY SDN. BHD.
201101036060 (954196-M)

KEYWAY DIGITAL LABS SDN. BHD.
202401033160 (1579008-U)

Penang Head Office
Plot 237, Lengkok Perindustrian Bukit Minyak 3, Bukit Minyak Industrial Estate, 14100 Simpang Ampat, Penang, Malaysia
Tel: +604-5023 882 *(8 Lines)*
Fax : +604-5081 882

Kuala Lumpur Office
No. 8, Jalan Delta U6/18,
Taman Perindustrian Sunway Subang,
Seksyen U6,
40150 Shah Alam, Selangor, Malaysia.
Tel: +603-6262 0882 *(4 Lines)*
Fax : +603-6270 0393

Melaka Office
No. 6A & 6A-1, Jalan IKS M 5,
Taman IKS Merdeka,
75350 Batu Berendam,
Melaka, Malaysia.
Tel: +606-336 3882 *(2 Lines)*
Fax : +606-337 5881

Johor Office
No.8 Jalan Ekoperniagaan 2/3,
Taman Ekoperniagaan,
81100 Johor Bharu, Johor,
Malaysia.
Tel: +607-511 4882
Fax : +607-562 8880

Pahang Office
A21, Lorong Balok Perdana 3/1,
Taman Balok Perdana,
26080 Kuantan, Pahang,
Malaysia.
Tel: +609-509 3882 *(2 Lines)*
Fax : +609-509 3880

Sabah Office
DBKK Unit, No.7, Lot 7, Lorong Bizhub 1, Sierra Bizhub Warehouse, Batu 13.5, Jalan Tuaran, 88450 Kota Kinabalu, Sabah, Malaysia.
Tel: +608-841 2982
Fax : +608-848 9282

Sarawak Office
Gr flr and 1st flr, Sublot 6,
City Square Phase II,
Section 64, KTLD,Jalan Pending,
93450 Kuching, Sarawak, Malaysia.
Tel: +608-226 6182
Fax : +608-226 6182

AUSTRALIA

SAFETYWARE AUSTRALIA PTE LTD
(ABN:1940065096)

5/21 Yiannis Court,
Springvale, VIC 3171, Australia.
Tel: +61 3 9103 1428

SINGAPORE

SAFETYWARE (SG) PTE LTD
(201208598R)

10 Raeburn Park,
#02-08,
Singapore 088702.
Tel: +65 6744 0882/ +65 9819 3376

THAILAND

SAFETYWARE ALLIANCE CO., LTD.
(0115567040457)

34/9 Moo 13, Thepharath Rd.,
Bangpleeyai,
Bangplee, Samutprakarn 10540
Bangkok, Thailand.
Tel: +66 02-066-4699
Fax: +66 02-066-4699

www.safetyware.com
info@safetyware.com

www.rhinoshoe.com | info@rhinoshoe.com

Version 2.5.0